<html lang="en">
<head>

<title>Supported Meta Tags</title>
<meta http-equiv="X-UA-Compatible" content="IE=7">
<meta charset="utf-8">
<meta id="book-resource-type" name="book-resource-type" content="Guide">
<meta scheme="apple_ref" id="identifier" name="identifier" content="//apple_ref/doc/uid/TP40002049">
<meta id="document-version" name="document-version" content="9.1.0">
<meta id="build" name="build" content="c1e4c7a89af8f899a21cfa81fc33ba42">
<meta id="chapterId" name="chapterId" content="TP40008193">
<meta id="date" name="date" content="2014-07-15">
<meta id="description" name="description" content="Describes the Hypertext Markup Language (HTML) tags and properties that are supported by Safari and WebKit.">
<meta id="book-title" name="book-title" content="Safari HTML Reference">
<meta id="book-root" name="book-root" content="../">
<meta id="book-json" name="book-json" content="../book.json">
<meta id="devcenter" name="devcenter" content="Mac Dev Center">
<meta id="devcenter-url" name="devcenter-url" content="http://developer.apple.com/devcenter/mac">
<meta id="reflib" name="reflib" content="Documentation Archive">
<meta id="book-assignments" name="book-assignments" content="{Type/Guide}, {Technologies/Core Services Layer/WebKit}, {Topic/User Experience}">

<meta id="copyright" name="copyright" content="Copyright 2018 Apple Inc. All Rights Reserved.">
<meta id="xcode-display" name="xcode-display" content="render">
<meta id="IndexTitle" name="IndexTitle" content="Safari HTML Reference: Supported Meta Tags">
<meta id="resources-uri" name="resources-uri" content="../../../../../Resources/1282">
<link id="book-index-page" rel="Start" title="Safari HTML Reference" type="text/html" href="../index.html">
<link id="next-page" rel="Next" type="text/html" href="AccessibilityRoles.html">
<link id="previous-page" rel="Prev" type="text/html" href="InputTypes.html">
<link rel="stylesheet" type="text/css" href="../../../../../Resources/1282/CSS/screen.css">

<!-- xcode_css -->
<link rel="stylesheet" type="text/css" href="../../../../../Resources/1282/CSS/feedback.css">
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1">
<meta id="platforms" name="platforms" content="">
</head>
<body class="" id="">


```
<div id="_omniture_top">
<!-- SiteCatalyst code version: H.8. Copyright 1997-2006 Omniture, Inc. -->
<script type="text/javascript">
/* RSID: */
var s_account="appleglobal,appleusdeveloper,dappdeveloperlib"
</script>

<script type="text/javascript"
src="https://www.apple.com/metrics/scripts/s_code_h.js"></script>
<script type="text/javascript">
s.pageName=AC.Tracking.pageName();
s.channel="www.us.developer"

/************* DO NOT ALTER ANYTHING BELOW THIS LINE ! **************/
var s_code=s.t();if(s_code)document.write(s_code)</script>
<!-- End SiteCatalyst code version: H.8. -->
</div>

<div id="adcHeader" class="hideOnPrint hideInXcode">
    <div id="ssi_Header" class="hideInXcode unified">
        <a id="ssi_LibraryTitle"
href="https://developer.apple.com/library/archive/navigation/"
onclick="s_objectID=&quot;https://developer.apple.com/library/archive/
navigation/_1&quot;;return this.s_oc?this.s_oc(e):true">Documentation
Archive</a>
        <a id="ssi_AppleDeveloperConnection"
href="https://developer.apple.com/"
onclick="s_objectID=&quot;https://developer.apple.com/_1&quot;;return
this.s_oc?this.s_oc(e):true">Developer</a>
        <div id="ssi_SearchButton" role="button" title="Search">Search</div>
    </div>
    <form id="ssi_SearchMenu" method="get" action="../../../../../search/"
accept-charset="utf-8">
        <label for="adcsearch">Search Documentation Archive</label>



        <input type="search" id="ssi_SearchField" name="q" accesskey="s"
results="5">
    </form>
</div>

<header id="header">
    <div id="title" role="banner">
        <h1>Safari HTML Reference</h1>
        <span id="file_links">
            <a id="PDF_link" role="button" tabindex="4" rel="alternate"
title="Download PDF" class=""><span id="pdf_icon"></span>PDF</a>
            <a id="Companion_link" role="button" tabindex="3" title="Download
Companion File" class=""><span id="companion_icon"></span>Companion
File</a>
        </span>
    </div>
    <ul id="headerButtons" class="hideOnPrint" role="toolbar">
```

```
            <li id="toc_button" style="">
                <button tabindex="5" id="table_of_contents" class="" 
role="checkbox" aria-label="Show Table of Contents"><span 
class="disclosure"></span>Table of Contents</button>
            </li>
            <li id="jumpto_button" style="display:none" role="navigation"><select 
tabindex="6" id="jumpTo"><option value="top">Jump 
To...</option></select></li>
            <li id="downloadSample_button" style="display:none">
                <a id="Sample_link"><button id="Sample_button">Download Sample 
Code</button></a>
            </li>
        </ul>
    </header>
    <nav id="tocContainer" tabindex="7" class="">
        <ul id="toc" role="tree"><li class=" " 
data-aref="//apple_ref/doc/uid/30001261-SW1"><span 
class="nodisclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Introduction.html#//apple_ref/doc/uid/30001261-SW1">Introduction</a></
span></li><li class="children " data-aref="//apple_ref/doc/uid/TP40008052-
SW1" role="treeitem"><span class="disclosure"></span><span 
class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW1">Explanation of Terms</a></span><ul><li class=" " 
data-aref="//apple_ref/doc/uid/TP40008052-SW6"><span 
class="nodisclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW6">Availability</a></span></li><li class=" " 
data-aref="//apple_ref/doc/uid/TP40008052-SW7"><span 
class="nodisclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW7">Support Level</a></span></li></ul></li><li class="children " data-
aref="//apple_ref/doc/uid/30001262-SW2" role="treeitem"><span 
class="disclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW2">Supported 
HTML</a></span><ul><li class="children " 
data-aref="//apple_ref/doc/uid/30001262-HTMLTags" role="treeitem"><span 
class="disclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-HTMLTags">HTML 
Tags</a></span><ul><li class=" " data-aref="//apple_ref/doc/uid/30001262-
a"><span class="nodisclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-a">a</a></span></
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-abbr"><span 
class="nodisclosure"></span><span class="sectionName"><a 
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-abbr">abbr</a></
span></li><li class=" " data-aref="//apple_ref/doc/uid/30001262-
```

acronym"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-acronym">acronym</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
address"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-address">address</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
applet"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-applet">applet</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-area"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-area">area</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW8"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW8">article</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW9"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW9">aside</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-audio"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-audio">audio</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-b"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-b">b</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-base"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-base">base</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
basefont"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-basefont">basefont</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW10"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW10">bdi</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-bdo"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-bdo">bdo</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW6">big</

span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
blockquote"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-
blockquote">blockquote
<li class=" "
data-aref="//apple_ref/doc/uid/30001262-body"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-body">body</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-br"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-br">br</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-button"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-button">button</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
canvas"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-canvas">canvas</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
caption"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-caption">caption</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
center"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-center">center</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-cite"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-cite">cite</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-code"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-code">code</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-col"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-col">col</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
colgroup"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-colgroup">colgroup</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW12">command</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW13"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW13">datalist</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dd"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dd">dd</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-del"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-del">del</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW14">details</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dfn"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dfn">dfn</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dir"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dir">dir</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-div"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-div">div</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dl"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dl">dl</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-dt"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dt">dt</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-em"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-em">em</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
embed"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-embed">embed</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
fieldset"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-fieldset">fieldset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW11"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW11">figcaption</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW16"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW16">figure</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-font"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-font">font</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW15">footer</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-form"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-form">form</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-frame"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-frame">frame</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
frameset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-frameset">frameset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
h1_h2__h6"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-h1_h2__h6">h1 - h2 - ...
- h6
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
head"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-head">head</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW29"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW29">header</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW30"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW30">hgroup</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-hr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-hr">hr</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-html"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-html">html</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-i"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-i">i</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-iframe"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-iframe">iframe</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-

imgorimage"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-imgorimage">img</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
input"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-input">input</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ins"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ins">ins</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-kbd"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-kbd">kbd</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
keygen"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-keygen">keygen</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
label"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-label">label</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-layer"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-layer">layer</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
legend"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-legend">legend</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-li"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-li">li</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-link"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-link">link</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-listing"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-listing">listing</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW17">main</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-map"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-map">map</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW18"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW18">mark
<li class=" " data-aref="//apple_ref/doc/uid/30001262-marquee">marquee
<li class=" " data-aref="//apple_ref/doc/uid/30001262-menu">menu
<li class=" " data-aref="//apple_ref/doc/uid/30001262-meta">meta
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW19">meter
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW20">nav
<li class=" " data-aref="//apple_ref/doc/uid/30001262-nobr">nobr
<li class=" " data-aref="//apple_ref/doc/uid/30001262-noembed">noembed
<li class=" " data-aref="//apple_ref/doc/uid/30001262-noframes">noframes
<li class=" " data-aref="//apple_ref/doc/uid/30001262-nolayer">nolayer
<li class=" " data-aref="//apple_ref/doc/uid/30001262-noscript">noscript
<li class=" " data-aref="//apple_ref/doc/uid/30001262-object">object
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ol"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ol">ol</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-optgroup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-optgroup">optgroup</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
option"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-option">option</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW21"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW21">output</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-p"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-p">p</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-param"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-param">param</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
plaintext"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-plaintext">plaintext</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW4"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW4">pre</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW22"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW22">progress</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
q"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-q">q</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-SW23"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW23">rp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW24"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW24">ruby</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW25"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW25">rt</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-s"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-s">s</

li><li class=" " data-aref="//apple_ref/doc/uid/30001262-samp"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-samp">samp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-script"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-script">script</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW26"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW26">section</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-select"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-select">select</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-small"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-small">small</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW5">source</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-span"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-span">span</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-strike"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-strike">strike</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
strong"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-strong">strong</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-style"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-style">style</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-sub"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-sub">sub</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW27"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW27">summary</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
sup"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-sup">sup</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-table"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-table">table
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tbody">tbody
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW3">td
<li class=" " data-aref="//apple_ref/doc/uid/30001262-textarea">textarea
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tfoot">tfoot
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW7">th
<li class=" " data-aref="//apple_ref/doc/uid/30001262-thead">thead
<li class=" " data-aref="//apple_ref/doc/uid/30001262-title">title
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tr">tr
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW28">track
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tt">tt
<li class=" " data-aref="//apple_ref/doc/uid/30001262-u">u
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ul">ul
<li class=" " data-aref="//apple_ref/doc/uid/30001262-var"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-var">var</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-video"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-video">video</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-wbr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-wbr">wbr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-xmp"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-xmp">xmp</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008058-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW1">Supported
Attributes
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008058-DontLinkElementID_1"
role="treeitem"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
DontLinkElementID_1">HTML Attributes
<li class=" " data-
aref="//apple_ref/doc/uid/TP40008058-abbr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-abbr">abbr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
accept"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-accept">accept</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
accept_charset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
accept_charset">accept-charset
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-accesskey"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
accesskey">accesskey
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-action"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-action">action</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
align"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-align">align</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
alink"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-alink">alink
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-alt">alt
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-archive">archive
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW23">aria-checked
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW24">aria-level
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW25">aria-pressed
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW26">aria-valuemax
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW27">aria-valuemin
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW28">aria-valuenow
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocapitalize">autocapitalize
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocomplete">autocomplete
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocorrect">autocorrect
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW4">autoplay</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
autosave"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
autosave">autosave
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-axis"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-axis">axis</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
background"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
background">background
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-behavior"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
behavior">behavior
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-bgcolor"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-bgcolor">bgcolor</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
bgproperties"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
bgproperties">bgproperties
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-border"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-border">border</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
bordercolor"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
bordercolor">bordercolor
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-cellpadding"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
cellpadding">cellpadding
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-cellspacing"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-

cellspacing">cellspacing
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-challenge"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
challenge">challenge
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW5">char</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
charoff"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-charoff">charoff</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
charset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-charset">charset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
checked"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-checked">checked</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
cellborder"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
cellborder">cellborder
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-cite"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-cite">cite</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
class"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-class">class</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
classid"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-classid">classid</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
clear"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-clear">clear</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
code"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-code">code</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
codebase"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
codebase">codebase
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-codetype"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
codetype">codetype
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-color"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-color">color</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
cols"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-cols">cols</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
colspan"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-colspan">colspan</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
compact"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
compact">compact
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-composite"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
composite">composite
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-content"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-content">content</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
contenteditable"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
contenteditable">contenteditable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW6">controls</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
coords"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-coords">coords</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
data"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-data">data</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-

datetime"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
datetime">datetime
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-declare"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-declare">declare</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
defer"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-defer">defer</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-dir"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-dir">dir</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
direction"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
direction">direction
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-disabled"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-disabled">disabled</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
enctype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-enctype">enctype</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW7"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW7">end</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
face"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-face">face</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-for"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-for">for</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frame"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-frame">frame</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frameborder"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
frameborder">frameborder
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-headers"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-headers">headers</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
height"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-height">height</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hidden"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hidden">hidden</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
href"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-href">href</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hreflang"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hreflang">hreflang</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hspace"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hspace">hspace</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
http_equiv"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-http_equiv">http-
equiv
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-id"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-id">id</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
incremental"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
incremental">incremental
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ismap"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ismap">ismap</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
keytype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-keytype">keytype</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
label"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-label">label</

span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
lang"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-lang">lang</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
language"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
language">language
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-leftmargin"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
leftmargin">leftmargin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-link"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-link">link</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
longdesc"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
longdesc">longdesc
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-loop"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-loop">loop</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW8">loopend</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW9">loopstart</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW10"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW10">manifest</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
marginheight"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
marginheight">marginheight
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-marginwidth"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
marginwidth">marginwidth
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-max"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-max">max
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-maxlength">maxlength
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-mayscript">mayscript
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-media">media
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-method">method
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-min">min
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-multiple">multiple
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-name">name
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-nohref">nohref
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-noresize">noresize
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-nosave">nosave
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-noshade">noshade
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-nowrap"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-nowrap">nowrap</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
object"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-object">object</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onabort"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onabort">onabort</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onbeforecopy"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforecopy">onbeforecopy
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onbeforecut"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforecut">onbeforecut
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onbeforepaste"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforepaste">onbeforepaste
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW11"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW11">onbeforeunload
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onblur"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onblur">onblur</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onchange"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onchange">onchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onclick"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onclick">onclick</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncontextmenu"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
oncontextmenu">oncontextmenu
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-oncopy"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncopy">oncopy</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncut"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncut">oncut</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondblclick"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondblclick">ondblclick
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrag"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrag">ondrag</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondragend"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragend">ondragend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragenter"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragenter">ondragenter
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragleave"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragleave">ondragleave
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragover"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragover">ondragover
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragstart"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragstart">ondragstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrop"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrop">ondrop</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onerror"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onerror">onerror</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onfocus"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onfocus">onfocus</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW12">ongesturechange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW13">ongestureend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW14">ongesturestart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-oninput"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oninput">oninput</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onkeydown"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onkeydown">onkeydown
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onkeypress"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onkeypress">onkeypress
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onkeyup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onkeyup">onkeyup
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onload"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onload">onload</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onmousedown"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmousedown">onmousedown
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmousemove"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmousemove">onmousemove
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseout"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseout">onmouseout
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseover"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseover">onmouseover
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseup">onmouseup
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW15">onmousewheel
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW16"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW16">onorientationchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onpaste"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onpaste">onpaste</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onreset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onreset">onreset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onresize"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onresize">onresize</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onscroll"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onscroll">onscroll</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onsearch"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onsearch">onsearch
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onselect"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onselect">onselect</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-

onselectstart"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onselectstart">onselectstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onsubmit"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onsubmit">onsubmit
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW17">ontouchcancel
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW18">ontouchend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW19"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW19">ontouchmove
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW20"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW20">ontouchstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onunload"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onunload">onunload
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-placeholder"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-placeholder">placeholder
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW21"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW21">playcount</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
pluginpage"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-pluginpage">pluginpage
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-pluginspage"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-

pluginspage">pluginspage
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-pluginurl"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
pluginurl">pluginurl
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW22"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW22">poster</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
precision"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
precision">precision
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-profile"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-profile">profile</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
readonly"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
readonly">readonly
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-rel"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rel">rel</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
results"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-results">results</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
rev"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rev">rev</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW29"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW29">role</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
rows"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rows">rows</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
rowspan"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
rowspan">rowspan
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-rules"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rules">rules
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scheme">scheme
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scope">scope
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scrollamount">scrollamount
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scrolldelay">scrolldelay
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scrolling">scrolling
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-selected">selected
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-shape">shape
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-size">size
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-span">span
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-src">src
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-standby">standby
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-start"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-start">start
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-style">style
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-summary">summary
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-tabindex">tabindex
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-tableborder">tableborder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-target">target
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-text">text
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-title">title
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-topmargin">topmargin
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-truespeed">truespeed
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-type">type
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-usemap">usemap</

a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
valign"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-valign">valign</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
value"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-value">value</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
valuetype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
valuetype">valuetype
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-version"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-version">version</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
vlink"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-vlink">vlink</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
vspace"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-vspace">vspace</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW30"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW30">webkit-
playsinline
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-width"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-width">width</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
wrap"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-wrap">wrap</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008055-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW1">Supported
Input Values
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008055-InputTypeValues"
role="treeitem"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-
InputTypeValues">Input Type Values
<li class=" " data-
aref="//apple_ref/doc/uid/TP40008055-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW6">button</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW7"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW7">checkbox</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW23"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW23">color</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW17"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW17">date</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW18"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW18">datetime</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW19"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW19">datetime-
local
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW2"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW2">email</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW8">file</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW9">hidden</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW10"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW10">image</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW20"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW20">month</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW3"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW3">number</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW11"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW11">password</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW12">radio</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-

SW13"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW13">range</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW14"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW14">reset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW15"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW15">search</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW16"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW16">submit</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW4"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW4">tel</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
text"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-text">text</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW21"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW21">time</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW5"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW5">url</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008193-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW1">Supported Meta
Tags
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008193-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW2">Apple-Specific
Meta Tag Keys
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW3">apple-mobile-
web-app-capable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW4">apple-mobile-
web-app-status-bar-style
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW5"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW5">format-detection
<li class=" " data-aref="//apple_ref/doc/uid/TP40008193-SW6">viewport
<li class="children " data-aref="//apple_ref/doc/uid/TP30009876-SW1" role="treeitem">Supported Accessibility Roles
<li class="children " data-aref="//apple_ref/doc/uid/TP30009876-SW2" role="treeitem">Accessibility Roles
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW3">button
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW4">checkbox
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW5">group
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW6">heading
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW7">img
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW8">link
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW9">listbox
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW19"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW19">listitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW10"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW10">menu
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW11"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW11">menubar
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW12"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW12">menuitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW13">menuitemcheckbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW14">menuitemradio
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW15">option
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW16"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW16">progressbar
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW17">radio
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW18">textbox
<li class=" " data-
aref="//apple_ref/doc/uid/TP30001264-SW1"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/RevisionHistory.html#//apple_ref/doc/uid/TP30001264-SW1">Revision
History
    </nav>

```
    <article id="contents" tabindex="0" role="main" class="">
        <div id="pageNavigationLinks_top" class="pageNavigationLinks">
            <a class="nextLink" rel="next" href="AccessibilityRoles.html"
onclick="s_objectID=&quot;https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_1&quot;;return
this.s_oc?this.s_oc(e):true">Next</a><a class="previousLink" rel="prev"
href="InputTypes.html"
onclick="s_objectID=&quot;https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_2&quot;;return
this.s_oc?this.s_oc(e):true">Previous</a>
        </div>
        <a id="top" name="top"></a>
        <a id="INDEX" href="../index.html" style="display:none;"
onclick="s_objectID=&quot;https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_3&quot;;return
this.s_oc?this.s_oc(e):true"></a>

        <a name="//apple_ref/doc/uid/TP40008193-SW1" title="Supported Meta
Tags"></a><h1 id="pageTitle">Supported Meta Tags</h1><p>Apple-specific
<code>meta</code> tags are described here.</p><section><a
name="//apple_ref/doc/uid/TP40008193-SW2" title="Apple-Specific Meta Tag
Keys"></a><h2 class="jump">Apple-Specific Meta Tag
Keys</h2><section><a name="//apple_ref/doc/uid/TP40008193-SW3"
title="apple-mobile-web-app-capable"></a><h3 class="jump">apple-mobile-
web-app-capable</h3><p>Sets whether a web application runs in full-screen
mode.</p><dl class="termdef">        <dl
class="content_text"><b><strong>Syntax</strong></b><dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre>&lt;meta name="apple-mobile-web-app-capable"
content="yes"&gt;<span></span></pre></td></tr></tbody></table></div>
</dd></dl><dl
class="content_text"><b><strong>Discussion</strong></b><dd><p>If
<code>content</code> is set to <code>yes</code>, the web application runs
in full-screen mode; otherwise, it does not. The default behavior is to use Safari
to display web content.</p><p>You can determine whether a webpage is
displayed in full-screen mode using the
<code>window.navigator.standalone</code> read-only Boolean JavaScript
property.</p></dd></dl><dl
class="content_text"><b><strong>Availability</strong></b><dd><p>Availab
le for iOS.</p></dd></dl><dl class="content_text"><b><strong>Support
Level</strong></b><dd><p>Apple
extension.</p></dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/TP40008193-SW4" title="apple-mobile-web-app-
status-bar-style"></a><h3 class="jump">apple-mobile-web-app-status-bar-
style</h3><p>Sets the style of the status bar for a web application.</p><dl
class="termdef">  <dl
class="content_text"><b><strong>Syntax</strong></b><dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre>&lt;meta name="apple-mobile-web-app-status-bar-style"
content="black"&gt;<span></span></pre></td></tr></tbody></table></
div></dd></dl><dl
class="content_text"><b><strong>Discussion</strong></b><dd><p>This
meta tag has no effect unless you first specify full-screen mode as described in
apple-<code><a href="#//apple_ref/doc/uid/TP40008193-SW3" data-renderer-
```

version="1"
onclick="s_objectID="https://developer.apple.com/library/archive/documentation/AppleApplications/Reference/SafariHTMLR_4";return this.s_oc?this.s_oc(e):true">apple-mobile-web-app-capable</code>. If <code>content</code> is set to <code>default</code>, the status bar appears normal. If set to <code>black</code>, the status bar has a black background. If set to <code>black-translucent</code>, the status bar is black and translucent. If set to <code>default</code> or <code>black</code>, the web content is displayed below the status bar. If set to <code>black-translucent</code>, the web content is displayed on the entire screen, partially obscured by the status bar. The default value is <code>default</code>. </dd></dl><dl class="content_text">Availability<dd> Available for iOS. </dd></dl><dl class="content_text">Support Level<dd> Apple extension. </dd></dl></dl></section><section><h3 class="jump">format-detection</h3> Enables or disables automatic detection of possible phone numbers in a webpage in Safari on iOS. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><meta name="format-detection" content="telephone=no"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> By default, Safari on iOS detects any string formatted like a phone number and makes it a link that calls the number. Specifying <code>telephone=no</code> disables this feature. </dd></dl><dl class="content_text">Support Level<dd> Apple extension. </dd></dl></dl></section><section><h3 class="jump">viewport</h3> Changes the logical window size used when displaying a page on iOS. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><meta name = "viewport" content = "width = 320,</pre></td></tr><tr><td scope="row"><pre> initial-scale = 2.3, user-scalable = no"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> Use the viewport meta key to improve the presentation of your web content on iOS. Typically, you use the viewport meta tag to set the width and initial scale of the viewport. For example, if your webpage is narrower than <code>980</code> pixels, then you should set the width of the viewport to fit your web content. If you are designing a Safari on iOS-specific web application, you should set the width to the width of the device. <a href="#//apple_ref/doc/uid/TP40008193-SW7" data-renderer-version="1"
onclick="s_objectID="https://developer.apple.com/library/archive/documentation/AppleApplications/Reference/SafariHTMLR_5";return this.s_oc?this.s_oc(e):true">Table 1 describes the properties

supported by the viewport meta key and their default values. When providing multiple properties for the viewport meta key, you should use a comma-delimited list of assignment statements. Follow these rules when setting multiple properties: <ul class="termdef"><li class="termdef"> Do not use a semicolon as a delimiter. <li class="termdef"> A space may work as a delimiter, but a comma is preferred. <li class="termdef"> For numeric properties, if the value contains a nonnumeric character but starts with a number, then the number prefix is used as the value. For example, <code>1.0x</code> is equivalent to <code>1.0</code> and <code>123x456</code> is equivalent to <code>123</code>. If the parameter doesn’t begin with a number, the value is <code>0</code>. When referring to the dimensions of a device, you should use the constants described in Table 2 instead of hard-coding specific numeric values. For example, use <code>device-width</code> instead of <code>320</code> for the width, and <code>device-height</code> instead of <code>480</code> for the height in portrait orientation. You do not need to set every viewport property. If only a subset of the properties are set, then Safari on iOS infers the other values. For example, if you set the scale to <code>1.0</code>, Safari assumes the width is <code>device-width</code> in portrait and <code>device-height</code> in landscape orientation. Therefore, if you want the width to be <code>980</code> pixels and the initial scale to be <code>1.0</code>, then set both of these properties. For example, to set the viewport width to the width of the device, add this to your HTML file: <table><tbody><tr><td scope="row"><pre><meta name = "viewport" content = "width = device-width"></pre></td></tr></tbody></table> To set the initial scale to <code>1.0</code>, add this to your HTML file: <table><tbody><tr><td scope="row"><pre><meta name = "viewport" content = "initial-scale = 1.0"></pre></td></tr></tbody></table> To set the initial scale and to turn off user scaling, add this to your HTML file: <table><tbody><tr><td scope="row"><pre><meta name = "viewport" content = "initial-scale = 2.3, user-scalable = no"></pre></td></tr></tbody></table> Use the Safari on iOS console to help debug your webpages as described in the Safari Web Inspector Guide. The console contains tips to help you choose viewport values—for example, it reminds you to use the constants when referring to the device width and height. </dd></dl><dl class="content_text">Support Level<dd> Apple extension. </dd></dl></dl> <table class="graybox" border="0" cellspacing="0" cellpadding="5"><caption class="tablecaption">Table 1 Viewport

properties</caption><tbody><tr><th scope="col" class="TableHeading_TableRow_TableCell"> Property </th><th scope="col" class="TableHeading_TableRow_TableCell"> Description </th></tr><tr><td scope="row"> <code>width</code> </td><td> The width of the viewport in pixels. The default is <code>980</code>. The range is from <code>200</code> to <code>10,000</code>. You can also set this property to the constants described in Table 2. </td></tr><tr><td scope="row"> <code>height</code> </td><td> The height of the viewport in pixels. The default is calculated based on the value of the width property and the aspect ratio of the device. The range is from <code>223</code> to <code>10,000</code> pixels. You can also set this property to the constants described in Table 2. </td></tr><tr><td scope="row"> <code>initial-scale</code> </td><td> The initial scale of the viewport as a multiplier. The default is calculated to fit the webpage in the visible area. The range is determined by the <code>minimum-scale</code> and <code>maximum-scale</code> properties. You can set only the initial scale of the viewport—the scale of the viewport the first time the webpage is displayed. Thereafter, the user can zoom in and out unless you set <code>user-scalable</code> to <code>no</code>. Zooming by the user is also limited by the <code>minimum-scale</code> and <code>maximum-scale</code> properties. </td></tr><tr><td scope="row"> <code>minimum-scale</code> </td><td>
Specifies the minimum scale value of the viewport. The default is <code>0.25</code>. The range is from ><code>0</code> to <code>10.0</code>.
</td></tr><tr><td scope="row"> <code>maximum-scale</code> </td><td> Specifies the maximum scale value of the viewport. The default is <code>5.0</code>. The range is from ><code>0</code> to <code>10.0</code>. </td></tr><tr><td scope="row"> <code>user-scalable</code> </td><td> Determines whether or not the user can zoom in and out—whether or not the user can change the scale of the viewport. Set to <code>yes</code> to allow scaling and <code>no</code> to disallow scaling. The default is <code>yes</code>. Setting <code>user-scalable</code> to <code>no</code> also prevents a webpage from scrolling when entering text in an input field. </td></tr></tbody></table> <table class="graybox" border="0" cellspacing="0" cellpadding="5"><caption class="tablecaption">Table 2 Special viewport property values</caption><tbody><tr><th scope="col" class="TableHeading_TableRow_TableCell"> Value </th><th scope="col"

class="TableHeading_TableRow_TableCell"> Description </th></tr><tr><td scope="row"> <code>device-width</code> </td><td> The width of the device in pixels. </td></tr><tr><td scope="row"> <code>device-height</code> </td><td> The height of the device pixels. </td></tr></tbody></table> </section></section>

<hr> Copyright © 2014 Apple Inc. All Rights Reserved. Terms of Use | Privacy Policy | Updated: 2014-07-15

</article>

<h2 tabindex="0">Sending feedback...</h2>

<h2 tabindex="0">We’re sorry, an error has occurred.</h2>
Please try submitting your feedback later.

<h2 tabindex="0">Thank you for providing feedback!</h2>
Your input helps improve our developer documentation.

```
<form id="feedback" action="#" method="post">
  <div class="left-leaf">
    <h2 id="helpful_title" data-asterisk="a1" tabindex="0">How helpful is this document?</h2>
    <sup id="a1" class="asterisk" aria-hidden="true">*</sup>

    <div id="star_group" role="radiogroup" aria-required="true">
      <label>
        <input class="radio" type="radio" name="helped" value="1">
        Very helpful
      </label>
      <label>
        <input class="radio" type="radio" name="helped" value="2">
        Somewhat helpful
      </label>
      <label>
        <input class="radio" type="radio" name="helped" value="3">
        Not helpful
      </label>
    </div>
  </div>
  <div class="right-leaf">
    <h2>How can we improve this document?</h2>
    <div id="improve" class="checkboxes">
      <label>
        <input type="checkbox" name="typo">
        Fix typos or links
      </label>
      <label>
        <input type="checkbox" name="infoIncorrect">
        Fix incorrect information
      </label>
      <label>
        <input type="checkbox" name="needs_examples">
        Add or update code samples
      </label>
      <label>
        <input type="checkbox" name="needs_art">
        Add or update illustrations
      </label>
      <label>
        <input type="checkbox" name="missingInfo">
        Add information about...
      </label>
    </div>
  </div>

  <textarea id="comment" name="problem" cols="70" rows="8" placeholder="Please tell us more about your experience with this document" data-asterisk="a2" required=""></textarea>
  <sup id="a2" class="asterisk" aria-hidden="true">*</sup>

  <p class="fineprint">
```

```
            <em aria-hidden="true"><span>*</span> Required information</em>
        </p>

        <input id="submit" type="button" value="Send">

        <section id="legal">
            <p>
                To submit a product bug or enhancement request, please visit the
                <a href="https://developer.apple.com/bugreporter/" target="_blank"
onclick="s_objectID=&quot;https://developer.apple.com/bugreporter/
_1&quot;;return this.s_oc?this.s_oc(e):true">Bug Reporter</a>
                page.
            </p>
            <p>
                Please read <a href="http://www.apple.com/legal/policies/ideas.html"
target="_blank"
onclick="s_objectID=&quot;http://www.apple.com/legal/policies/ideas.html_1&qu
ot;;return this.s_oc?this.s_oc(e):true">Apple's Unsolicited Idea Submission
Policy</a>
                before you send us your feedback.
            </p>
        </section>
    </form>
</div>


    <script charset="utf-8"
src="../../../../../Resources/1282/JavaScript/lib/prototype.js"></script>
    <script src="../../../../../Resources/1282/JavaScript/library.js"></script>


</body></html>

<html lang="en"><head>
    <title>Document Revision History</title>
    <meta http-equiv="X-UA-Compatible" content="IE=7">
    <meta charset="utf-8">
    <meta id="book-resource-type" name="book-resource-type"
content="Guide">
    <meta scheme="apple_ref" id="identifier" name="identifier"
content="//apple_ref/doc/uid/TP40002049">
    <meta id="document-version" name="document-version" content="9.1.0">
    <meta id="build" name="build"
content="c1e4c7a89af8f899a21cfa81fc33ba42">
    <meta id="chapterId" name="chapterId" content="TP30001264">
    <meta id="date" name="date" content="2014-07-15">
    <meta id="description" name="description" content="Describes the
Hypertext Markup Language (HTML) tags and properties that are supported by
Safari and WebKit.">
    <meta id="book-title" name="book-title" content="Safari HTML Reference">
    <meta id="book-root" name="book-root" content="./">
    <meta id="book-json" name="book-json" content="book.json">
    <meta id="devcenter" name="devcenter" content="Mac Dev Center">
```

```
    <meta id="devcenter-url" name="devcenter-url"
content="http://developer.apple.com/devcenter/mac">
    <meta id="reflib" name="reflib" content="Documentation Archive">
    <meta id="book-assignments" name="book-assignments"
content="{Type/Guide}, {Technologies/Core Services Layer/WebKit},
{Topic/User Experience}">


    <meta id="copyright" name="copyright" content="Copyright 2018 Apple Inc.
All Rights Reserved.">
    <meta id="xcode-display" name="xcode-display" content="render">
    <meta id="IndexTitle" name="IndexTitle" content="Safari HTML Reference:
Document Revision History">
    <meta id="resources-uri" name="resources-uri"
content="../../../../Resources/1282">
    <link id="book-index-page" rel="Start" title="Safari HTML Reference"
type="text/html" href="index.html">
    <link id="next-page" rel="Next" type="text/html" href="">
    <link id="previous-page" rel="Prev" type="text/html"
href="Articles/AccessibilityRoles.html">
    <link rel="stylesheet" type="text/css"
href="../../../../Resources/1282/CSS/screen.css">

    <!-- xcode_css -->
    <link rel="stylesheet" type="text/css"
href="../../../../Resources/1282/CSS/feedback.css">
    <meta name="viewport" content="width=device-width, initial-scale=1,
maximum-scale=1">
        <meta id="platforms" name="platforms" content="">
</head>
<body class="" id=""><a name="//apple_ref/doc/uid/TP30001264"
title="Document Revision History"></a>
    <div id="_omniture_top">
    <!-- SiteCatalyst code version: H.8. Copyright 1997-2006 Omniture, Inc. -->
    <script type="text/javascript">
    /* RSID: */
    var s_account="appleglobal,appleusdeveloper,dappdeveloperlib"
    </script>

    <script type="text/javascript"
src="https://www.apple.com/metrics/scripts/s_code_h.js"></script>
    <script type="text/javascript">
    s.pageName=AC.Tracking.pageName();
    s.channel="www.us.developer"

    /************* DO NOT ALTER ANYTHING BELOW THIS LINE ! **************/
    var s_code=s.t();if(s_code)document.write(s_code)</script>
    <!-- End SiteCatalyst code version: H.8. -->
    </div>

    <div id="adcHeader" class="hideOnPrint hideInXcode">
        <div id="ssi_Header" class="hideInXcode unified">
            <a id="ssi_LibraryTitle"
href="https://developer.apple.com/library/archive/navigation/"
```

onclick="s_objectID="https://developer.apple.com/library/archive/navigation/_1";return this.s_oc?this.s_oc(e):true">Documentation Archive
Developer
Search

<form id="ssi_SearchMenu" method="get" action="../../../../search/" accept-charset="utf-8">
<label for="adcsearch">Search Documentation Archive</label>

<input type="search" id="ssi_SearchField" name="q" accesskey="s" results="5">
</form>

<header id="header">

<h1>Safari HTML Reference</h1>

PDF
Companion File

<ul id="headerButtons" class="hideOnPrint" role="toolbar">
<li id="toc_button" style="">
<button tabindex="5" id="table_of_contents" class="" role="checkbox" aria-label="Show Table of Contents">Table of Contents</button>

<li id="jumpto_button" style="display:none" role="navigation"><select tabindex="6" id="jumpTo"><option value="top">Jump To...</option></select>
<li id="downloadSample_button" style="display:none">
<button id="Sample_button">Download Sample Code</button>

</header>
<nav id="tocContainer" tabindex="7" class="">
<ul id="toc" role="tree"><li class=" " data-aref="//apple_ref/doc/uid/30001261-SW1">Introduction
<li class="children " data-aref="//apple_ref/doc/uid/TP40008052-SW1" role="treeitem"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-SW1">Explanation of Terms
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008052-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-SW6">Availability
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008052-SW7"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-SW7">Support Level
<li class="children " data-aref="//apple_ref/doc/uid/30001262-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW2">Supported HTML
<li class="children "
data-aref="//apple_ref/doc/uid/30001262-HTMLTags" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-HTMLTags">HTML Tags
<li class=" " data-aref="//apple_ref/doc/uid/30001262-a"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-a">a
<li class=" " data-aref="//apple_ref/doc/uid/30001262-abbr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-abbr">abbr
<li class=" " data-aref="//apple_ref/doc/uid/30001262-acronym"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-acronym">acronym
<li class=" " data-aref="//apple_ref/doc/uid/30001262-address"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-address">address
<li class=" " data-aref="//apple_ref/doc/uid/30001262-applet"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-applet">applet
<li class=" " data-aref="//apple_ref/doc/uid/30001262-area"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-area">area
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW8"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW8">article
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW9"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW9">aside</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-audio"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-audio">audio</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-b"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-b">b</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-base"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-base">base</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
basefont"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-basefont">basefont</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW10"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW10">bdi</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-bdo"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-bdo">bdo</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW6">big</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
blockquote"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-
blockquote">blockquote
<li class=" "
data-aref="//apple_ref/doc/uid/30001262-body"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-body">body</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-br"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-br">br</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-button"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-button">button</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
canvas"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-canvas">canvas</

a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-caption">caption
<li class=" " data-aref="//apple_ref/doc/uid/30001262-center">center
<li class=" " data-aref="//apple_ref/doc/uid/30001262-cite">cite
<li class=" " data-aref="//apple_ref/doc/uid/30001262-code">code
<li class=" " data-aref="//apple_ref/doc/uid/30001262-col">col
<li class=" " data-aref="//apple_ref/doc/uid/30001262-colgroup">colgroup
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW12">command
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW13">datalist
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dd">dd
<li class=" " data-aref="//apple_ref/doc/uid/30001262-del">del
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW14">details
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dfn">dfn
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dir">dir
<li class=" " data-aref="//apple_ref/doc/uid/30001262-div"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-div">div</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dl"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dl">dl</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-dt"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dt">dt</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-em"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-em">em</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
embed"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-embed">embed</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
fieldset"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-fieldset">fieldset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW11"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW11">figcaption</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW16"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW16">figure</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-font"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-font">font</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW15">footer</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-form"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-form">form</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-frame"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-frame">frame</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
frameset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-frameset">frameset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
h1_h2__h6"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-h1_h2__h6">h1 - h2 - ... - h6
<li class=" " data-aref="//apple_ref/doc/uid/30001262-head"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-head">head
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW29"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW29">header
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW30"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW30">hgroup
<li class=" " data-aref="//apple_ref/doc/uid/30001262-hr"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-hr">hr
<li class=" " data-aref="//apple_ref/doc/uid/30001262-html"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-html">html
<li class=" " data-aref="//apple_ref/doc/uid/30001262-i"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-i">i
<li class=" " data-aref="//apple_ref/doc/uid/30001262-iframe"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-iframe">iframe
<li class=" " data-aref="//apple_ref/doc/uid/30001262-imgorimage"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-imgorimage">img
<li class=" " data-aref="//apple_ref/doc/uid/30001262-input"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-input">input
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ins"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ins">ins
<li class=" " data-aref="//apple_ref/doc/uid/30001262-kbd"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-kbd">kbd
<li class=" " data-aref="//apple_ref/doc/uid/30001262-keygen"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-keygen">keygen
<li class=" " data-aref="//apple_ref/doc/uid/30001262-label"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-label">label
<li class=" " data-aref="//apple_ref/doc/uid/30001262-layer">layer
<li class=" " data-aref="//apple_ref/doc/uid/30001262-legend">legend
<li class=" " data-aref="//apple_ref/doc/uid/30001262-li">li
<li class=" " data-aref="//apple_ref/doc/uid/30001262-link">link
<li class=" " data-aref="//apple_ref/doc/uid/30001262-listing">listing
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW17">main
<li class=" " data-aref="//apple_ref/doc/uid/30001262-map">map
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW18">mark
<li class=" " data-aref="//apple_ref/doc/uid/30001262-marquee">marquee
<li class=" " data-aref="//apple_ref/doc/uid/30001262-menu">menu
<li class=" " data-aref="//apple_ref/doc/uid/30001262-meta">meta
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW19">meter
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW20"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW20">nav</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-nobr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-nobr">nobr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noembed"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-noembed">noembed</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noframes"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-
noframes">noframes
<li class=" "
data-aref="//apple_ref/doc/uid/30001262-nolayer"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-nolayer">nolayer</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noscript"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-noscript">noscript</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
object"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-object">object</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ol"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ol">ol</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-optgroup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-optgroup">optgroup</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
option"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-option">option</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW21"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW21">output</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-p"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-p">p</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-param"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-param">param</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-

plaintext"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-plaintext">plaintext</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW4"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW4">pre</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW22"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW22">progress</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
q"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-q">q</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-SW23"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW23">rp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW24"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW24">ruby</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW25"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW25">rt</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-s"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-s">s</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-samp"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-samp">samp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-script"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-script">script</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW26"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW26">section</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-select"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-select">select</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-small"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-small">small</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW5"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW5">source
<li class=" " data-aref="//apple_ref/doc/uid/30001262-span">span
<li class=" " data-aref="//apple_ref/doc/uid/30001262-strike">strike
<li class=" " data-aref="//apple_ref/doc/uid/30001262-strong">strong
<li class=" " data-aref="//apple_ref/doc/uid/30001262-style">style
<li class=" " data-aref="//apple_ref/doc/uid/30001262-sub">sub
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW27">summary
<li class=" " data-aref="//apple_ref/doc/uid/30001262-sup">sup
<li class=" " data-aref="//apple_ref/doc/uid/30001262-table">table
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tbody">tbody
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW3">td
<li class=" " data-aref="//apple_ref/doc/uid/30001262-textarea">textarea
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tfoot">tfoot
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW7"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW7">th</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-thead"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-thead">thead</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-title"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-title">title</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-tr">tr</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-SW28"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW28">track</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tt"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-tt">tt</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-u"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-u">u</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-ul"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ul">ul</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-var"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-var">var</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-video"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-video">video</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-wbr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-wbr">wbr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-xmp"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-xmp">xmp</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008058-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW1">Supported
Attributes
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008058-DontLinkElementID_1"
role="treeitem"><span
class="sectionName"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-DontLinkElementID_1">HTML Attributes
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-abbr">abbr
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-accept">accept
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-accept_charset">accept-charset
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-accesskey">accesskey
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-action">action
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-align">align
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-alink">alink
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-alt">alt
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-archive">archive
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW23">aria-checked
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW24">aria-level
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW25"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW25">aria-
pressed
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW26"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW26">aria-
valuemax
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW27"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW27">aria-
valuemin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW28"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW28">aria-
valuenow
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-autocapitalize"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
autocapitalize">autocapitalize
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-autocomplete"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
autocomplete">autocomplete
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-autocorrect"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
autocorrect">autocorrect
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW4">autoplay</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
autosave"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
autosave">autosave
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-axis"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-axis">axis</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
background"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
background">background
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-behavior"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-behavior">behavior
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bgcolor">bgcolor
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bgproperties">bgproperties
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-border">border
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bordercolor">bordercolor
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellpadding">cellpadding
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellspacing">cellspacing
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-challenge">challenge
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW5">char
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-charoff">charoff
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-charset">charset
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-checked"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-checked">checked
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellborder">cellborder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cite">cite
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-class">class
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-classid">classid
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-clear">clear
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-code">code
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-codebase">codebase
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-codetype">codetype
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-color">color
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cols">cols
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-colspan">colspan
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-compact"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-compact">compact
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-composite"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-composite">composite
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-content"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-content">content
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-contenteditable"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-contenteditable">contenteditable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW6">controls
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-coords"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-coords">coords
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-data"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-data">data
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-datetime"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-datetime">datetime
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-declare"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-declare">declare
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-defer"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-defer">defer
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-dir"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-dir">dir
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-direction"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-

direction">direction
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-disabled"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-disabled">disabled</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
enctype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-enctype">enctype</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW7"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW7">end</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
face"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-face">face</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-for"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-for">for</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frame"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-frame">frame</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frameborder"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
frameborder">frameborder
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-headers"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-headers">headers</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
height"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-height">height</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hidden"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hidden">hidden</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
href"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-href">href</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hreflang"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hreflang">hreflang</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-

hspace"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hspace">hspace</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
http_equiv"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-http_equiv">http-
equiv
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-id"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-id">id</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
incremental"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
incremental">incremental
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ismap"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ismap">ismap</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
keytype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-keytype">keytype</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
label"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-label">label</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
lang"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-lang">lang</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
language"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
language">language
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-leftmargin"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
leftmargin">leftmargin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-link"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-link">link</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
longdesc"><span
class="sectionName"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-longdesc">longdesc
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-loop">loop
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW8">loopend
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW9">loopstart
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW10">manifest
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-marginheight">marginheight
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-marginwidth">marginwidth
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-max">max
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-maxlength">maxlength
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-mayscript">mayscript
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-media">media
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-method">method</

a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
min"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-min">min</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
multiple"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-multiple">multiple</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
name"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-name">name</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
nohref"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-nohref">nohref</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
noresize"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-noresize">noresize</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
nosave"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-nosave">nosave</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
noshade"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
noshade">noshade
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-nowrap"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-nowrap">nowrap</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
object"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-object">object</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onabort"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onabort">onabort</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onbeforecopy"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforecopy">onbeforecopy
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onbeforecut"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforecut">onbeforecut
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onbeforepaste"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onbeforepaste">onbeforepaste
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW11"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW11">onbeforeunload
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onblur"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onblur">onblur</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onchange"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onchange">onchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onclick"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onclick">onclick</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncontextmenu"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
oncontextmenu">oncontextmenu
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-oncopy"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncopy">oncopy</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncut"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncut">oncut</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondblclick"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondblclick">ondblclick
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrag"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrag">ondrag</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondragend"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragend">ondragend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragenter"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragenter">ondragenter
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragleave"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragleave">ondragleave
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragover"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragover">ondragover
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragstart"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragstart">ondragstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrop"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrop">ondrop</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onerror"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onerror">onerror</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onfocus"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onfocus">onfocus</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW12">ongesturechange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW13">ongestureend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW14">ongesturestart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-oninput"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oninput">oninput</

a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onkeydown">onkeydown
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onkeypress">onkeypress
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onkeyup">onkeyup
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onload">onload
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onmousedown">onmousedown
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onmousemove">onmousemove
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onmouseout">onmouseout
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onmouseover">onmouseover
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onmouseup">onmouseup
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW15">onmousewheel
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW16"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW16">onorientationchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onpaste"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onpaste">onpaste</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onreset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onreset">onreset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onresize"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onresize">onresize</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onscroll"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onscroll">onscroll</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onsearch"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onsearch">onsearch
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onselect"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onselect">onselect</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onselectstart"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onselectstart">onselectstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onsubmit"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onsubmit">onsubmit
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW17">ontouchcancel
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW18">ontouchend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW19"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW19">ontouchmove
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW20">ontouchstart
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onunload">onunload
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-placeholder">placeholder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW21">playcount
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginpage">pluginpage
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginspage">pluginspage
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginurl">pluginurl
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW22">poster
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-precision">precision
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-profile">profile
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-readonly"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-readonly">readonly
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-rel"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rel">rel
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-results"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-results">results
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-rev"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rev">rev
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW29"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW29">role
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-rows"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rows">rows
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-rowspan"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rowspan">rowspan
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-rules"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rules">rules
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scheme"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scheme">scheme
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scope"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scope">scope
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-scrollamount"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scrollamount">scrollamount
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-scrolldelay"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scrolldelay">scrolldelay
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-scrolling"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scrolling">scrolling</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
selected"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-selected">selected</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
shape"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-shape">shape</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
size"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-size">size</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
span"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-span">span</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-src"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-src">src</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
standby"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-standby">standby</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
start"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-start">start</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
style"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-style">style</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
summary"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
summary">summary
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-tabindex"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
tabindex">tabindex
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-tableborder"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
tableborder">tableborder
<li class=" "

data-aref="//apple_ref/doc/uid/TP40008058-target"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-target">target</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
text"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-text">text</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
title"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-title">title</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
topmargin"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
topmargin">topmargin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-truespeed"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
truespeed">truespeed
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-type"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-type">type</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
usemap"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-usemap">usemap</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
valign"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-valign">valign</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
value"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-value">value</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
valuetype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
valuetype">valuetype
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-version"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-version">version</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
vlink"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-vlink">vlink</

span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
vspace"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-vspace">vspace</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW30"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW30">webkit-
playsinline
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-width"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-width">width</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
wrap"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-wrap">wrap</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008055-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW1">Supported
Input Values
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008055-InputTypeValues"
role="treeitem"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-
InputTypeValues">Input Type Values
<li class=" " data-
aref="//apple_ref/doc/uid/TP40008055-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW6">button</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW7"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW7">checkbox</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW23"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW23">color</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW17"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW17">date</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW18"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW18">datetime</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW19"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW19">datetime-
local
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-

SW2"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW2">email</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW8">file</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW9">hidden</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW10"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW10">image</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW20"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW20">month</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW3"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW3">number</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW11"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW11">password</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW12">radio</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW13"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW13">range</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW14"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW14">reset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW15"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW15">search</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW16"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW16">submit</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW4"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW4">tel</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
text"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-text">text</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW21"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW21">time</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-
SW5"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/InputTypes.html#//apple_ref/doc/uid/TP40008055-SW5">url</
span>
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008193-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW1">Supported Meta
Tags
<li class="children "
data-aref="//apple_ref/doc/uid/TP40008193-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW2">Apple-Specific
Meta Tag Keys
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW3">apple-mobile-
web-app-capable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW4">apple-mobile-
web-app-status-bar-style
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW5">format-
detection
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW6">viewport</
a>
<li class="children "
data-aref="//apple_ref/doc/uid/TP30009876-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW1">Supported Accessibility Roles
<li class="children "
data-aref="//apple_ref/doc/uid/TP30009876-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW2">Accessibility Roles
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-

SW3">button
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW4">checkbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW5">group
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW6">heading
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW7"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-SW7">img</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-
SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-SW8">link</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-
SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW9">listbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW19"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW19">listitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW10"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW10">menu
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW11"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW11">menubar
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW12"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW12">menuitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW13">menuitemcheckbox
<li class=" "

data-aref="//apple_ref/doc/uid/TP30009876-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW14">menuitemradio
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW15">option
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW16"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW16">progressbar
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW17">radio
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW18">textbox
<li class=" " data-
aref="//apple_ref/doc/uid/TP30001264-SW1"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/RevisionHistory.html#//apple_ref/doc/uid/TP30001264-SW1">Revision
History
</nav>

<article id="contents" tabindex="0" role="main" class="">

<a id="INDEX" href="index.html" style="display:none;"
onclick="s_objectID="https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_2";return
this.s_oc?this.s_oc(e):true">

<a name="//apple_ref/doc/uid/TP30001264-SW1" title="Document Revision
History"><h1 id="pageTitle">Document Revision History</h1><p
class="revhistintro">This table describes the changes to Safari HTML
Reference.</p><table class="graybox revision-history" border="0"
cellspacing="0" cellpadding="5"><colgroup span="1"><col
width="145"></colgroup><tbody><tr><th scope="col"
align="left">Date</th><th scope="col"
align="left">Notes</th></tr><tr><td scope="row">2014-

07-15</td><td> Updated availability, deprecation, and obsolete status of elements throughout. </td></tr><tr><td scope="row">2013-10-22</td><td> Made minor edits throughout. </td></tr><tr><td scope="row">2011-07-12</td><td> Updated for iOS 5.0. </td></tr><tr><td scope="row">2011-04-14</td><td> Updated the availability of webkit-playsinline. </td></tr><tr><td scope="row">2010-11-15</td><td> Added more information on autocapitalize and autocorrect attributes. </td></tr><tr><td scope="row">2010-09-01</td><td> Applied minor edits throughout. </td></tr><tr><td scope="row">2010-08-03</td><td> Added the webkit-playsinline HTML attribute. </td></tr><tr><td scope="row">2010-05-07</td><td> Added a link to the HTML5 specification. </td></tr><tr><td scope="row">2009-11-17</td><td> Added descriptions of new input types supported in iOS 3.1. </td></tr><tr><td scope="row">2009-08-11</td><td> Added Safari availability for the manifest attribute. </td></tr><tr><td scope="row">2009-06-08</td><td> Added the listitem ARIA role and iPhone availability for the audio and video elements. </td></tr><tr><td scope="row">2009-04-28</td><td> Miscellaneous edits. </td></tr><tr><td scope="row">2009-02-05</td><td> Updated for Safari 4.0. </td></tr><tr><td scope="row">2008-11-12</td><td> Revised document structure and added application cache manifest and other iOS HTML attributes. </td></tr><tr><td scope="row">2008-10-15</td><td> Minor edits throughout. </td></tr><tr><td scope="row">2008-09-09</td><td> Updated for Safari 3.1. </td></tr><tr><td scope="row">2008-01-15</td><td> Moved reference information for the viewport meta key from Safari Web Content Guide for iPhone. </td></tr><tr><td scope="row">2007-12-11</td><td> Added iPhone-specific HTML attributes. </td></tr><tr><td scope="row">2007-09-04</td><td> Reformatted content. </td></tr><tr><td scope="row">2006-05-23</td><td> Corrected typos. </td></tr><tr><td scope="row">2005-11-09</td><td> Corrected typos. </td></tr><tr><td scope="row">2005-08-11</td><td> Corrected typos. </td></tr><tr><td scope="row"> </td><td> Corrected typos. Added information on the paragraph tag. </td></tr><tr><td scope="row">2005-06-04</td><td> New document that describes the HTML tags and properties supported by Safari and the Web Kit. </td></tr></tbody></table>

Previous


```
        <div class="copyright"><br><hr><div align="center"><p
class="content_text" lang="en" dir="ltr"> Copyright © 2014 Apple Inc. All
Rights Reserved.  <a
href="http://www.apple.com/legal/internet-services/terms/site.html"
target="_blank"
onclick="s_objectID=&quot;http://www.apple.com/legal/internet-services/terms/
site.html_1&quot;;return this.s_oc?this.s_oc(e):true">Terms of Use</a>   |  <a
href="http://www.apple.com/privacy/" target="_blank"
onclick="s_objectID=&quot;http://www.apple.com/privacy/_1&quot;;return
this.s_oc?this.s_oc(e):true">Privacy Policy</a>  |  Updated:
2014-07-15</p></div></div>

        <div id="pediaWindow">
            <div id="pediaHeader"></div>
            <div id="pediaBody"></div>
        </div>
    </article>

    <div id="blackout">
    <div id="preload"></div>
</div>
<div id="modal" aria-hidden="true">
    <div id="closebox" tabindex="0" aria-label="Close feedback form"
role="button"></div>
    <div id="sending" class="hidden">
        <h2 tabindex="0">Sending feedback...</h2>
        <div id="sending_img"></div>
    </div>
    <div id="error" class="hidden">
        <h2 tabindex="0">We’re sorry, an error has occurred.</h2>
        <p>Please try submitting your feedback later.</p>
        <div id="error_icon"></div>
    </div>
    <div id="success" class="hidden">
        <h2 tabindex="0">Thank you for providing feedback!</h2>
        <p>Your input helps improve our developer documentation.</p>
        <div id="thank_you_icon"></div>
    </div>

    <form id="feedback" action="#" method="post">
        <div class="left-leaf">
            <h2 id="helpful_title" data-asterisk="a1" tabindex="0">How helpful is
this document?</h2>
            <sup id="a1" class="asterisk" aria-hidden="true">*</sup>

            <div id="star_group" role="radiogroup" aria-required="true">
                <label>
                    <input class="radio" type="radio" name="helped" value="1">
                    Very helpful
                </label>
                <label>
                    <input class="radio" type="radio" name="helped" value="2">
                    Somewhat helpful
                </label>
```

```
            <label>
                <input class="radio" type="radio" name="helped" value="3">
                Not helpful
            </label>
        </div>
    </div>
    <div class="right-leaf">
        <h2>How can we improve this document?</h2>
        <div id="improve" class="checkboxes">
            <label>
                <input type="checkbox" name="typo">
                Fix typos or links
            </label>
            <label>
                <input type="checkbox" name="infoIncorrect">
                Fix incorrect information
            </label>
            <label>
                <input type="checkbox" name="needs_examples">
                Add or update code samples
            </label>
            <label>
                <input type="checkbox" name="needs_art">
                Add or update illustrations
            </label>
            <label>
                <input type="checkbox" name="missingInfo">
                Add information about...
            </label>
        </div>
    </div>

    <textarea id="comment" name="problem" cols="70" rows="8"
placeholder="Please tell us more about your experience with this document"
data-asterisk="a2" required=""></textarea>
    <sup id="a2" class="asterisk" aria-hidden="true">*</sup>

    <p class="fineprint">
        <em aria-hidden="true"><span>*</span> Required information</em>
    </p>

    <input id="submit" type="button" value="Send">

    <section id="legal">
        <p>
            To submit a product bug or enhancement request, please visit the
            <a href="https://developer.apple.com/bugreporter/" target="_blank"
onclick="s_objectID=&quot;https://developer.apple.com/bugreporter/
_1&quot;;return this.s_oc?this.s_oc(e):true">Bug Reporter</a>
            page.
        </p>
        <p>
            Please read <a href="http://www.apple.com/legal/policies/ideas.html"
target="_blank"
```

onclick="s_objectID="http://www.apple.com/legal/policies/ideas.html_1";return this.s_oc?this.s_oc(e):true">Apple's Unsolicited Idea Submission Policy
            before you send us your feedback.
        </p>
    </section>
  </form>

  <script charset="utf-8" src="../../../../Resources/1282/JavaScript/lib/prototype.js"></script>
  <script src="../../../../Resources/1282/JavaScript/library.js"></script>

</body></html>

<html lang="en"><head>

  <title>Supported HTML</title>
  <meta http-equiv="X-UA-Compatible" content="IE=7">
  <meta charset="utf-8">
  <meta id="book-resource-type" name="book-resource-type" content="Guide">
  <meta scheme="apple_ref" id="identifier" name="identifier" content="//apple_ref/doc/uid/TP40002049">
  <meta id="document-version" name="document-version" content="9.1.0">
  <meta id="build" name="build" content="c1e4c7a89af8f899a21cfa81fc33ba42">
  <meta id="chapterId" name="chapterId" content="30001262">
  <meta id="date" name="date" content="2014-07-15">
  <meta id="description" name="description" content="Describes the Hypertext Markup Language (HTML) tags and properties that are supported by Safari and WebKit.">
  <meta id="book-title" name="book-title" content="Safari HTML Reference">
  <meta id="book-root" name="book-root" content="../">
  <meta id="book-json" name="book-json" content="../book.json">
  <meta id="devcenter" name="devcenter" content="Mac Dev Center">
  <meta id="devcenter-url" name="devcenter-url" content="http://developer.apple.com/devcenter/mac">
  <meta id="reflib" name="reflib" content="Documentation Archive">
  <meta id="book-assignments" name="book-assignments" content="{Type/Guide}, {Technologies/Core Services Layer/WebKit}, {Topic/User Experience}">

  <meta id="copyright" name="copyright" content="Copyright 2018 Apple Inc. All Rights Reserved.">
  <meta id="xcode-display" name="xcode-display" content="render">
  <meta id="IndexTitle" name="IndexTitle" content="Safari HTML Reference: Supported HTML">
  <meta id="resources-uri" name="resources-uri" content="../../../../../Resources/1282">

```
    <link id="book-index-page" rel="Start" title="Safari HTML Reference"
type="text/html" href="../index.html">
    <link id="next-page" rel="Next" type="text/html" href="Attributes.html">
    <link id="previous-page" rel="Prev" type="text/html"
href="ExplanationofTerms.html">
    <link rel="stylesheet" type="text/css"
href="../../../../../Resources/1282/CSS/screen.css">

    <!-- xcode_css -->
    <link rel="stylesheet" type="text/css"
href="../../../../../Resources/1282/CSS/feedback.css">
    <meta name="viewport" content="width=device-width, initial-scale=1,
maximum-scale=1">
          <meta id="platforms" name="platforms" content="">
</head>
<body class="" id=""><a name="//apple_ref/doc/uid/30001262"
title="Supported HTML"></a>
    <div id="_omniture_top">
    <!-- SiteCatalyst code version: H.8. Copyright 1997-2006 Omniture, Inc. -->
    <script type="text/javascript">
    /* RSID: */
    var s_account="appleglobal,appleusdeveloper,dappdeveloperlib"
    </script>

    <script type="text/javascript"
src="https://www.apple.com/metrics/scripts/s_code_h.js"></script>
    <script type="text/javascript">
    s.pageName=AC.Tracking.pageName();
    s.channel="www.us.developer"

    /************* DO NOT ALTER ANYTHING BELOW THIS LINE ! **************/
    var s_code=s.t();if(s_code)document.write(s_code)</script>
    <!-- End SiteCatalyst code version: H.8. -->
    </div>

    <div id="adcHeader" class="hideOnPrint hideInXcode">
        <div id="ssi_Header" class="hideInXcode unified">
            <a id="ssi_LibraryTitle"
href="https://developer.apple.com/library/archive/navigation/"
onclick="s_objectID=&quot;https://developer.apple.com/library/archive/
navigation/_1&quot;;return this.s_oc?this.s_oc(e):true">Documentation
Archive</a>
            <a id="ssi_AppleDeveloperConnection"
href="https://developer.apple.com/"
onclick="s_objectID=&quot;https://developer.apple.com/_1&quot;;return
this.s_oc?this.s_oc(e):true">Developer</a>
            <div id="ssi_SearchButton" role="button" title="Search">Search</div>
        </div>
        <form id="ssi_SearchMenu" method="get" action="../../../../../search/"
accept-charset="utf-8">
            <label for="adcsearch">Search Documentation Archive</label>
```

```
            <input type="search" id="ssi_SearchField" name="q" accesskey="s"
results="5">
        </form>
    </div>

    <header id="header">
        <div id="title" role="banner">
            <h1>Safari HTML Reference</h1>
            <span id="file_links">
                <a id="PDF_link" role="button" tabindex="4" rel="alternate"
title="Download PDF" class=""><span id="pdf_icon"></span>PDF</a>
                <a id="Companion_link" role="button" tabindex="3" title="Download
Companion File" class=""><span id="companion_icon"></span>Companion
File</a>
            </span>
        </div>
        <ul id="headerButtons" class="hideOnPrint" role="toolbar">
            <li id="toc_button" style="">
                <button tabindex="5" id="table_of_contents" class=""
role="checkbox" aria-label="Show Table of Contents"><span
class="disclosure"></span>Table of Contents</button>
            </li>
            <li id="jumpto_button" style="display:none" role="navigation"><select
tabindex="6" id="jumpTo"><option value="top">Jump
To...</option></select></li>
            <li id="downloadSample_button" style="display:none">
                <a id="Sample_link"><button id="Sample_button">Download Sample
Code</button></a>
            </li>
        </ul>
    </header>
    <nav id="tocContainer" tabindex="7" class="">
        <ul id="toc" role="tree"><li class=" "
data-aref="//apple_ref/doc/uid/30001261-SW1"><span
class="nodisclosure"></span><span class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Introduction.html#//apple_ref/doc/uid/30001261-SW1">Introduction</a></
span></li><li class="children " data-aref="//apple_ref/doc/uid/TP40008052-
SW1" role="treeitem"><span class="disclosure"></span><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW1">Explanation of Terms</a></span><ul><li class=" "
data-aref="//apple_ref/doc/uid/TP40008052-SW6"><span
class="nodisclosure"></span><span class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW6">Availability</a></span></li><li class=" "
data-aref="//apple_ref/doc/uid/TP40008052-SW7"><span
class="nodisclosure"></span><span class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/ExplanationofTerms.html#//apple_ref/doc/uid/TP40008052-
SW7">Support Level</a></span></li></ul></li><li class="children " data-
aref="//apple_ref/doc/uid/30001262-SW2" role="treeitem"><span
```

class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW2">Supported
HTML
<li class="children "
data-aref="//apple_ref/doc/uid/30001262-HTMLTags" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-HTMLTags">HTML
Tags
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
a"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-a">a</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-abbr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-abbr">abbr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
acronym"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-acronym">acronym</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
address"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-address">address</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
applet"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-applet">applet</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-area"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-area">area</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW8"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW8">article</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW9"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW9">aside</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-audio"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-audio">audio</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-b"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-b">b</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-base"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-base">base</

span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-basefont">basefont
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW10">bdi
<li class=" " data-aref="//apple_ref/doc/uid/30001262-bdo">bdo
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW6">big
<li class=" " data-aref="//apple_ref/doc/uid/30001262-blockquote">blockquote
<li class=" " data-aref="//apple_ref/doc/uid/30001262-body">body
<li class=" " data-aref="//apple_ref/doc/uid/30001262-br">br
<li class=" " data-aref="//apple_ref/doc/uid/30001262-button">button
<li class=" " data-aref="//apple_ref/doc/uid/30001262-canvas">canvas
<li class=" " data-aref="//apple_ref/doc/uid/30001262-caption">caption
<li class=" " data-aref="//apple_ref/doc/uid/30001262-center">center
<li class=" " data-aref="//apple_ref/doc/uid/30001262-cite">cite
<li class=" " data-aref="//apple_ref/doc/uid/30001262-code"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-code">code</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-col"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-col">col</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
colgroup"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-colgroup">colgroup</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW12">command</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW13"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW13">datalist</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dd"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dd">dd</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-del"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-del">del</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW14">details</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dfn"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dfn">dfn</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dir"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dir">dir</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-div"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-div">div</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-dl"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dl">dl</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-dt"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-dt">dt</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-em"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-em">em</

span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-embed">embed
<li class=" " data-aref="//apple_ref/doc/uid/30001262-fieldset">fieldset
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW11">figcaption
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW16">figure
<li class=" " data-aref="//apple_ref/doc/uid/30001262-font">font
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW15">footer
<li class=" " data-aref="//apple_ref/doc/uid/30001262-form">form
<li class=" " data-aref="//apple_ref/doc/uid/30001262-frame">frame
<li class=" " data-aref="//apple_ref/doc/uid/30001262-frameset">frameset
<li class=" " data-aref="//apple_ref/doc/uid/30001262-h1_h2__h6">h1 - h2 - ... - h6
<li class=" " data-aref="//apple_ref/doc/uid/30001262-head">head
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW29">header
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW30">hgroup</

span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-hr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-hr">hr</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-html"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-html">html</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-i"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-i">i</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-iframe"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-iframe">iframe</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
imgorimage"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-imgorimage">img</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
input"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-input">input</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ins"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ins">ins</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-kbd"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-kbd">kbd</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
keygen"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-keygen">keygen</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
label"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-label">label</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-layer"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-layer">layer</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
legend"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-legend">legend</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-li"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-li">li</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-link"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-link">link</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-listing"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-listing">listing</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW17">main</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-map"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-map">map</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW18">mark</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
marquee"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-marquee">marquee</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
menu"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-menu">menu</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-meta"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-meta">meta</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW19"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW19">meter</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW20"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW20">nav</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-nobr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-nobr">nobr</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noembed"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-noembed">noembed</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noframes"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-

noframes">noframes
<li class=" "
data-aref="//apple_ref/doc/uid/30001262-nolayer"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-nolayer">nolayer</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
noscript"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-noscript">noscript</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
object"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-object">object</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ol"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-ol">ol</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-optgroup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-optgroup">optgroup</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
option"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-option">option</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW21"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW21">output</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-p"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-p">p</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-param"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-param">param</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
plaintext"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-plaintext">plaintext</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
SW4"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW4">pre</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW22"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW22">progress</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
q"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-q">q</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-SW23"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW23">rp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW24"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW24">ruby</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW25"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW25">rt</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-s"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-s">s</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-samp"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-samp">samp</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-script"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-script">script</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW26"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW26">section</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-select"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-select">select</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-small"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-small">small</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW5">source</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-span"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-span">span</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-strike"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-strike">strike</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
strong"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-strong">strong</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-style"><span

class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-style">style</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-sub"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-sub">sub</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW27"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW27">summary</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
sup"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-sup">sup</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-table"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-table">table</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tbody"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-tbody">tbody</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW3">td</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
textarea"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-textarea">textarea</
a>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-
tfoot"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-tfoot">tfoot</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-SW7"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW7">th</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-thead"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-thead">thead</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-title"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-title">title</
span>
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tr"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-tr">tr</
li><li class=" " data-aref="//apple_ref/doc/uid/30001262-SW28"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/HTMLTags.html#//apple_ref/doc/uid/30001262-SW28">track
<li class=" " data-aref="//apple_ref/doc/uid/30001262-tt">tt
<li class=" " data-aref="//apple_ref/doc/uid/30001262-u">u
<li class=" " data-aref="//apple_ref/doc/uid/30001262-ul">ul
<li class=" " data-aref="//apple_ref/doc/uid/30001262-var">var
<li class=" " data-aref="//apple_ref/doc/uid/30001262-video">video
<li class=" " data-aref="//apple_ref/doc/uid/30001262-wbr">wbr
<li class=" " data-aref="//apple_ref/doc/uid/30001262-xmp">xmp
<li class="children " data-aref="//apple_ref/doc/uid/TP40008058-SW1" role="treeitem">Supported Attributes
<li class="children " data-aref="//apple_ref/doc/uid/TP40008058-DontLinkElementID_1" role="treeitem">HTML Attributes
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-abbr">abbr
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-accept">accept
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-accept_charset"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
accept_charset">accept-charset
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-accesskey"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
accesskey">accesskey
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-action"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-action">action</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
align"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-align">align</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
alink"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-alink">alink</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-alt"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-alt">alt</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
archive"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-archive">archive</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW23"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW23">aria-
checked
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW24"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW24">aria-level</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW25"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW25">aria-
pressed
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW26"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW26">aria-
valuemax
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW27"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW27">aria-
valuemin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW28"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW28">aria-valuenow
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocapitalize">autocapitalize
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocomplete">autocomplete
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autocorrect">autocorrect
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW4">autoplay
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-autosave">autosave
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-axis">axis
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-background">background
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-behavior">behavior
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bgcolor">bgcolor
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bgproperties">bgproperties
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-border"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-border">border
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-bordercolor">bordercolor
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellpadding">cellpadding
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellspacing">cellspacing
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-challenge">challenge
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW5">char
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-charoff">charoff
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-charset">charset
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-checked">checked
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cellborder">cellborder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-cite">cite
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-class"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-class">class</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
classid"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-classid">classid</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
clear"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-clear">clear</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
code"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-code">code</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
codebase"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
codebase">codebase
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-codetype"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
codetype">codetype
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-color"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-color">color</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
cols"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-cols">cols</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
colspan"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-colspan">colspan</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
compact"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
compact">compact
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-composite"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
composite">composite
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-content"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-content">content</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
contenteditable"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-contenteditable">contenteditable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW6">controls
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-coords"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-coords">coords
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-data"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-data">data
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-datetime"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-datetime">datetime
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-declare"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-declare">declare
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-defer"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-defer">defer
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-dir"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-dir">dir
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-direction"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-direction">direction
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-disabled"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-disabled">disabled
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-enctype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-enctype">enctype
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW7"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW7">end
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-

face"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-face">face</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-for"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-for">for</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frame"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-frame">frame</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
frameborder"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
frameborder">frameborder
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-headers"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-headers">headers</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
height"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-height">height</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hidden"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hidden">hidden</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
href"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-href">href</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hreflang"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hreflang">hreflang</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
hspace"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-hspace">hspace</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
http_equiv"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-http_equiv">http-
equiv
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-id"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-id">id</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
incremental"><span

class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-incremental">incremental
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ismap"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ismap">ismap
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-keytype"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-keytype">keytype
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-label"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-label">label
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-lang"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-lang">lang
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-language"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-language">language
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-leftmargin"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-leftmargin">leftmargin
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-link"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-link">link
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-longdesc"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-longdesc">longdesc
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-loop"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-loop">loop
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW8">loopend
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW9">loopstart</

a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW10">manifest
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-marginheight">marginheight
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-marginwidth">marginwidth
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-max">max
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-maxlength">maxlength
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-mayscript">mayscript
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-media">media
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-method">method
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-min">min
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-multiple">multiple
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-name">name
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-nohref"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-nohref">nohref
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-noresize">noresize
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-nosave">nosave
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-noshade">noshade
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-nowrap">nowrap
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-object">object
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onabort">onabort
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onbeforecopy">onbeforecopy
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onbeforecut">onbeforecut
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onbeforepaste">onbeforepaste
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW11">onbeforeunload
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-onblur"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onblur">onblur</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onchange"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onchange">onchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onclick"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onclick">onclick</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncontextmenu"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
oncontextmenu">oncontextmenu
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-oncopy"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncopy">oncopy</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
oncut"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oncut">oncut</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondblclick"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondblclick">ondblclick
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrag"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrag">ondrag</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
ondragend"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragend">ondragend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragenter"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragenter">ondragenter
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragleave"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragleave">ondragleave
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragover"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragover">ondragover
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondragstart"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
ondragstart">ondragstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-ondrop"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-ondrop">ondrop</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onerror"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onerror">onerror</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onfocus"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onfocus">onfocus</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW12"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW12">ongesturechange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW13">ongestureend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW14">ongesturestart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-oninput"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-oninput">oninput</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onkeydown"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onkeydown">onkeydown
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onkeypress"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onkeypress">onkeypress
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onkeyup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-

onkeyup">onkeyup
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onload"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onload">onload</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onmousedown"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmousedown">onmousedown
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmousemove"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmousemove">onmousemove
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseout"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseout">onmouseout
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseover"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseover">onmouseover
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onmouseup"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onmouseup">onmouseup
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW15">onmousewheel
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW16"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW16">onorientationchange
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onpaste"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onpaste">onpaste</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onreset"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onreset">onreset</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onresize"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onresize">onresize</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onscroll"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onscroll">onscroll</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onsearch"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onsearch">onsearch
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onselect"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-onselect">onselect</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
onselectstart"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onselectstart">onselectstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onsubmit"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onsubmit">onsubmit
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW17"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW17">ontouchcancel
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW18"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW18">ontouchend
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW19"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW19">ontouchmove
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-SW20"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
SW20">ontouchstart
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-onunload"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
onunload">onunload
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-placeholder"><span
class="nodisclosure"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-placeholder">placeholder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW21">playcount
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginpage">pluginpage
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginspage">pluginspage
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-pluginurl">pluginurl
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW22">poster
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-precision">precision
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-profile">profile
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-readonly">readonly
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-rel">rel
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-results">results
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-rev"><a href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe

f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rev">rev</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
SW29"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-SW29">role</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
rows"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rows">rows</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
rowspan"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
rowspan">rowspan
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-rules"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-rules">rules</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
scheme"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scheme">scheme</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
scope"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scope">scope</
span>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
scrollamount"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
scrollamount">scrollamount
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-scrolldelay"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-
scrolldelay">scrolldelay
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008058-scrolling"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-scrolling">scrolling</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
selected"><span
class="sectionName"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-selected">selected</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
shape"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-shape">shape</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-
size"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-size">size
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-span">span
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-src">src
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-standby">standby
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-start">start
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-style">style
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-summary">summary
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-tabindex">tabindex
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-tableborder">tableborder
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-target">target
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-text">text
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-title">title
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-topmargin"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-topmargin">topmargin
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-truespeed">truespeed
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-type">type
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-usemap">usemap
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-valign">valign
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-value">value
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-valuetype">valuetype
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-version">version
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-vlink">vlink
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-vspace">vspace
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-SW30">webkit-playsinline
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-width">width
<li class=" " data-aref="//apple_ref/doc/uid/TP40008058-wrap"><a

href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRef/Articles/Attributes.html#//apple_ref/doc/uid/TP40008058-wrap">wrap
<li class="children " data-aref="//apple_ref/doc/uid/TP40008055-SW1" role="treeitem">Supported Input Values
<li class="children " data-aref="//apple_ref/doc/uid/TP40008055-InputTypeValues" role="treeitem">Input Type Values
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW6">button
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW7">checkbox
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW23">color
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW17">date
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW18">datetime
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW19">datetime-local
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW2">email
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW8">file
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW9">hidden
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW10">image</

a>
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW20">month
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW3">number
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW11">password
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW12">radio
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW13">range
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW14">reset
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW15">search
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW16">submit
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW4">tel
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-text">text
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW21">time
<li class=" " data-aref="//apple_ref/doc/uid/TP40008055-SW5">url
<li class="children " data-aref="//apple_ref/doc/uid/TP40008193-SW1" role="treeitem">Supported Meta Tags
<li class="children "

data-aref="//apple_ref/doc/uid/TP40008193-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW2">Apple-Specific
Meta Tag Keys
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW3">apple-mobile-
web-app-capable
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW4">apple-mobile-
web-app-status-bar-style
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW5">format-
detection
<li class=" "
data-aref="//apple_ref/doc/uid/TP40008193-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/MetaTags.html#//apple_ref/doc/uid/TP40008193-SW6">viewport</
a>
<li class="children "
data-aref="//apple_ref/doc/uid/TP30009876-SW1" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW1">Supported Accessibility Roles
<li class="children "
data-aref="//apple_ref/doc/uid/TP30009876-SW2" role="treeitem"><span
class="disclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW2">Accessibility Roles
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW3"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW3">button
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW4"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW4">checkbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW5"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW5">group
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW6"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-

SW6">heading
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW7"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-SW7">img</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-
SW8"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-SW8">link</
a>
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-
SW9"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW9">listbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW19"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW19">listitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW10"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW10">menu
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW11"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW11">menubar
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW12"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW12">menuitem
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW13"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW13">menuitemcheckbox
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW14"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW14">menuitemradio
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW15"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW15">option
<li class=" "
data-aref="//apple_ref/doc/uid/TP30009876-SW16"><span
class="nodisclosure"><a
href="/library/archive/documentation/AppleApplications/Reference/SafariHTMLRe
f/Articles/AccessibilityRoles.html#//apple_ref/doc/uid/TP30009876-
SW16">progressbar
<li class=" "

data-aref="//apple_ref/doc/uid/TP30009876-SW17">radio
<li class=" " data-aref="//apple_ref/doc/uid/TP30009876-SW18">textbox
<li class=" " data-aref="//apple_ref/doc/uid/TP30001264-SW1">Revision History
    </nav>

    <article id="contents" tabindex="0" role="main" class="">

            NextPrevious

        <h1 id="pageTitle">Supported HTML</h1> Safari and WebKit implement a large subset of the HTML5 Specification defined by the World Wide Web Consortium (W3C). This reference defines every symbol in the specification that Safari implements. If a element is not listed here, it is not supported by Safari and WebKit. <section><h2 class="jump">HTML Tags</h2><section><h3 class="jump">a</h3> Specifies a hyperlink or a page anchor. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> ... </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> When the <code>href</code> attribute is used with the <code>a</code> element, the text or image enclosed by the element becomes a hyperlink, linked to the

URL specified by <code>URL</code>. When the <code>name</code> attribute is used, the element becomes an anchor that can be linked to by a hyperlink. </dd></dl></dl></section><section><h3 class="jump">abbr</h3> Specifies an abbreviated form of a string. Use <code>abbr</code> instead of <code>acronym</code>. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><abbr title="fullstring"> abbrev </abbr></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> In Safari, the string specified by <code>abbr</code> is displayed onscreen while the content of <code>fullstring</code> is revealed in help element form by holding the mouse over the abbreviated value. This element is also useful for applications that read the underlying HTML code of a page, such as screen readers. Use <code>abbr</code> instead of <code>acronym</code>. </dd></dl></dl></section><section><h3 class="jump">acronym</h3> Obsolete. Specifies the acronym form of a string. Use <code>abbr</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>acronym</code> element behavior was identical to the behavior of the <code>abbr</code> element. </dd></dl><dl class="content_text">Availability<dd> The <code>acronym</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">address</h3> Specifies a street address. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><address> streetaddress </address></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>address</code> element specifies a street address. The address enclosed within the element is italicized. Line breaks (such as ones between a street address and a city/state/zip) are not automatically inserted. </dd></dl></dl></section><section><h3 class="jump">applet</h3> Obsolete. Embeds a Java applet within a page. Use <code>embed</code> or <code>object</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The applet is displayed at the location of the element in the page. The location of the applet is given by the URL specified by an <code>archive</code> parameter. </dd></dl><dl class="content_text">Availability<dd> The <code>applet</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">area</h3> Specifies a specific area within an image

map. <dl class="termdef"><dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><area shape="shapetype" coords="coords"
href="URL"></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>area</code> element defines discrete areas within an image map
(defined by an enclosing <code>map</code> element). The area defined by
this element acts as a hyperlink, linked to the URL specified by
<code>URL</code>, bounding shape specified by <code>shape</code>, and
coordinates specified by
<code>coords</code>. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW8" title="article"><h3
class="jump">article</h3> Specifies an independent section of a
page. <dl class="termdef"> <dl
class="content_text">Discussion<dd> Use
<code>article</code> instead of <code>div</code> to contain a forum post,
newspaper article, or blog entry. An article may be nested inside another
<code>article</code> element. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW9" title="aside"><h3
class="jump">aside</h3> Specifies a section of a page that is tangentially
related to the surrounding content. <dl class="termdef"> <dl
class="content_text">Discussion<dd> The
<code>aside</code> element can indicate parenthetical content like pull
quotes or sidebars. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-audio" title="audio"><h3
class="jump">audio</h3> Embeds audio into a webpage. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><audio
src="url"</pre></td></tr><tr><td scope="row"><pre>
autoplay="autoplay" <!-- Boolean attribute. Omit to prevent autoplay. --
></pre></td></tr><tr><td scope="row"><pre>
start="00:00:00.00"</pre></td></tr><tr><td
scope="row"><pre> loopstart="00:00:00.07" <!-- 7 seconds --
></pre></td></tr><tr><td scope="row"><pre>
loopend="00:00:00.19"</pre></td></tr><tr><td
scope="row"><pre>
end="00:00:00.27"</pre></td></tr><tr><td
scope="row"><pre> playcount="4" <!-- play 4x
--></pre></td></tr><tr><td scope="row"><pre>
controls="true"
></pre></td></tr></tbody></table> </dd></dl><d
l class="content_text">Discussion<dd> The
<code>audio</code> element might contain fallback content for browsers that
do not support this element. Any content enclosed within the
<code>audio</code> element is ignored by browsers that support the
<code>audio</code> element (but it must be valid HTML). The
<code>audio</code> element supports inclusion of <code>source</code>
elements to provide multiple versions of an audio clip encoded with different
codecs, at different bit rates, and so on. These <code>source</code> elements
must be the first elements inside the <code>audio</code> element before any

fallback content. See <code>source</code> for more information. </dd></dl></dl></section><section><h3 class="jump">b</h3> Displays text in a bold style. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> content </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The text specified by <code>content</code> is displayed in the bold style, but otherwise matches the style of the enclosing element. Consider using <code>em</code> to add emphasis and <code>strong</code> to indicate importance before choosing <code>b</code>. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">base</h3> Defines the base URL for all linked objects on a page. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><base href="URL"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The URL specified by <code>href</code> acts as the base URL for any relatively linked object—such as an image, hyperlink, or Java applet—on the page. If a URL is specified absolutely (with a fully qualified URL), it is not affected by this element. The <code>base</code> element must be placed in the <code>head</code> section of a page. </dd></dl></dl></section><section><h3 class="jump">basefont</h3> Obsolete. Specifies the base font for a page. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The font is used as the default font for the page unless otherwise specified. The font is specified by <code>face</code>, its size is specified by <code>size</code>, and its color is specified by <code>color</code>. These attributes and their various options are defined in <code>Supported Attributes</code>. Use CSS styling to set this property for the enclosing elements unless you have a specific reason to use <code>basefont</code>. </dd></dl><dl class="content_text">Availability<dd> The <code>basefont</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">bdi</h3> Specifies text that may be displayed in a unique direction. <dl class="termdef"> <dl class="content_text">Syntax<dd><div

class="codesample clear"><table><tbody><tr><td
scope="row"><pre><p> English content and <bdi> Arabic content
</bdi>
</p></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> Use
<code>bdi</code> when the directional display of the text is unknown. Unlike
<code>bdo</code> elements, <code>bdi</code> elements are not
automatically displayed in a unique direction. See <span
class="content_text"><a
href="http://www.w3.org/TR/CSS2/visuren.html#direction" class="urlLink"
rel="external"
onclick="s_objectID="http://www.w3.org/TR/CSS2/visuren.html#direction_
1";return
this.s_oc?this.s_oc(e):true">http://www.w3.org/TR/CSS2/visuren.html#direction<
/a> for more information on directional
text. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-bdo" title="bdo"><h3
class="jump">bdo</h3> Displays text in a different direction. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><bdo dir="dir"> content
</bdo></pre></td></tr></tbody></table> </dd>
</dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed left to right if
<code>dir</code> is set to <code>ltr</code>; it is displayed right-to-left if it is
set to <code>rtl</code>. See <a
href="http://www.w3.org/TR/CSS2/visuren.html#direction" class="urlLink"
rel="external"
onclick="s_objectID="http://www.w3.org/TR/CSS2/visuren.html#direction_
2";return
this.s_oc?this.s_oc(e):true">http://www.w3.org/TR/CSS2/visuren.html#direction<
/a> for more information on directional
text. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW6" title="big"><h3
class="jump">big</h3> Obsolete. Displays text in a large size. Use CSS
styling instead. <dl class="termdef"> <dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed in a larger size but
otherwise matches the style of the enclosing element. Styles should be more
finely tuned using CSS instead of using HTML style
elements. </dd></dl><dl
class="content_text">Availability<dd> The
<code>big</code> element has been declared obsolete in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-blockquote" title="blockquote"><h3
class="jump">blockquote</h3> Displays text in an indented quotation
style. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><blockquote> content
</blockquote></pre></td></tr></tbody></table></

div></dd></dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is indented (on both sides of the text
block), but otherwise matches the style of the enclosing element. Styles should
be more finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-body" title="body"><h3
class="jump">body</h3> Defines the entirety of the document
body. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><body> content
</body></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
content specified by <code>content</code> comprises most of the content of
the page. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-br" title="br"><h3
class="jump">br</h3> Represents a single line break. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre>
</pre></td></tr></tbody></
table> </dd></dl><dl
class="content_text">Discussion<dd> Layout
should be more finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-button" title="button"><h3
class="jump">button</h3> Defines an interactive button on a
page. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><button> content
</button></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed within the frame of the
button. This differs from the <code>button</code> input type in that you can
specify content within the <code>button</code>
element. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-canvas" title="canvas"><h3
class="jump">canvas</h3> Specifies an advanced drawing region. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><canvas id="identifer" height="value"
width="value"></pre></td></tr></tbody></table>
</dd></dl><dl
class="content_text">Discussion<dd> The
<code>canvas</code> element specifies the location of an advanced drawing
region. The <code>canvas</code> element supports the same attributes as the
<code>img</code> element with the exception of the <code>src</code>
attribute, which is ignored for the <code>canvas</code> element. You can
specify any of the other attributes you would normally specify for an image. The

identifier specified by <code>id</code> is required for Dashboard widgets, as are the height and width specified by <code>height</code> and <code>width</code>, respectively. Read Safari HTML5 Canvas Guide for more information. </dd></dl></dl></section><section><h3 class="jump">caption</h3> Defines a caption for an HTML table. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><caption> content </caption></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The text specified by <code>content</code> is displayed as a caption for the table in which the caption is enclosed. </dd></dl></dl></section><section><h3 class="jump">center</h3> Deprecated. Defines a region of content to be centered. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The content wrapped by the <code>center</code> element is centered within its enclosing element. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl><dl class="content_text">Availability<dd> The <code>center</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">cite</h3> Specifies a citation. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><cite> content </cite></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>cite</code> element specifies a citation. The text enclosed within the element is italicized. </dd></dl></dl></section><section><h3 class="jump">code</h3> Specifies text as computer code. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><code> content </code></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>code</code> element specifies a block of code. The text enclosed within the element uses a "teletype" monospaced character font. </dd></dl></dl></section><section><h3

class="jump">col</h3> Specifies attributes of columns in a table. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><col properties ></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>col</code> element allows you specify attributes for a given table column, with those attributes specified by <code>properties</code>. A series of <code>col</code> elements must be placed in order of the actual table columns. These elements must be placed within a table or a <code>colgroup</code>. </dd></dl></dl></section><section><h3 class="jump">colgroup</h3> Specifies attributes for multiple columns in a table. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><colgroup properties ></colgroup></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>colgroup</code> element specifies attributes for multiple table columns, with those attributes specified by <code>properties</code>. For example, to set center column alignment for three different columns, you would use <code><colgroup span="3"></code>. These elements must be placed within a table. </dd></dl></dl></section><section><h3 class="jump">command</h3> Obsolete. Specifies a command the user can invoke. Use <code>menuitem</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>command</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">datalist</h3> Contains a set of <code>option</code> elements for a control. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><input name="state" list="states"></pre></td></tr><tr><td scope="row"><pre> <datalist id="states"></pre></td></tr><tr><td scope="row"><pre> <option>Alabama</option></pre></td></tr><tr><td scope="row"><pre> <option>Alaska</option></pre></td></tr><tr><td scope="row"><pre> …</pre></td></tr><tr><td scope="row"><pre> <option>Wyoming</option></pre></td></tr><tr><td scope="row"><pre> </datalist></pre></td></tr></tbody></table> </dd></dl></dl></section><section><h3 class="jump">dd</h3> Specifies a definition for a term. <dl class="termdef"> <dl class="content_text">Syntax<dd><div

class="codesample clear"><table><tbody><tr><td
scope="row"><pre><dd> content
</dd></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> The
<code>dd</code> element specifies a definition for a term within an HTML
definition list. The text enclosed within the element is indented under the term
specified by the enclosing <code>dt</code>
block. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-del" title="del"><h3
class="jump">del</h3> Specifies a block of deleted text. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><del> content
</del></pre></td></tr></tbody></table> </dd><
/dl><dl
class="content_text">Discussion<dd> The
<code>del</code> element specifies a block of deleted text, which is marked
with a horizontal line through the
center. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW14" title="details"><h3
class="jump">details</h3> Specifies a control for additional information,
typically displaying a disclosure triangle. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><details></pre></td></tr><tr><td
scope="row"><pre> <summary> Summary info
</summary></pre></td></tr><tr><td
scope="row"><pre> <p> Detailed information
</p></pre></td></tr><tr><td
scope="row"><pre></details></pre></td></tr></tbody
></table> </dd></dl><dl
class="content_text">Discussion<dd> Nested
content is revealed on user interaction. The <code>summary</code> element
should be included in a <code>details</code> element. </dd></dl><dl
class="content_text">Availability<dd> The
<code>details</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-dfn" title="dfn"><h3
class="jump">dfn</h3> Specifies a definition. <dl class="termdef">
  <dl class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><dfn> content
</dfn></pre></td></tr></tbody></table> </dd><
/dl><dl
class="content_text">Discussion<dd> The
<code>dfn</code> element specifies a definition of any
sort. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-dir" title="dir"><h3
class="jump">dir</h3> Obsolete. Specifies a directory list. Use CSS styling
or list elements as appropriate. <dl class="termdef"> <dl
class="content_text">Discussion<dd> The
<code>dir</code> element specifies a directory list, each element of which is

specified by an <code>li</code> element. List styles should be more finely tuned using CSS instead of using HTML style elements, and the structure should be defined instead with the <code>ul</code> and <code>ol</code> elements. </dd></dl><dl class="content_text">Availability<dd> The <code>dir</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">div</h3> Specifies a styleless section in a document. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><div> content </div></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>div</code> element specifies a section in a document as a block element. Multiple divs stack vertically on the page. Use CSS styles to tune the style properties of this element. </dd></dl></dl></section><section><h3 class="jump">dl</h3> Specifies a definition list. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><dl> content </dl></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>dl</code> element specifies a definition list. Within the bounds of this block, terms to be defined should be marked using the <code>dt</code> element, and their definitions should be marked using the <code>dd</code> element. </dd></dl></dl></section><section><h3 class="jump">dt</h3> Specifies a definition term. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><dt> content </dt></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>dt</code> element specifies a definition term. It should be used to mark an actual term within the bounds of a definition list (<code>dl</code>). Definitions should follow each term, and be marked using the <code>dd</code> element. </dd></dl></dl></section><section><h3 class="jump">em</h3> Specifies emphasized text. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> content </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>em</code> element specifies a block of emphasized text. Use CSS to

finely tune styles instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">embed</h3> Deprecated. Embeds an object within a page. Use the <code>object</code> element to embed objects. <dl class="termdef"> <dl class="content_text">Discussion<dd> The object, if visible, is displayed at the location of the element in the page, with a height specified by <code>height</code> and a width specified by <code>width</code>. The location of the object is given by the URL specified by <code>src</code>, or <code>code</code> if the applet is in a standard Java class file. </dd></dl><dl class="content_text">Availability<dd> The <code>embed</code> element has been deprecated in the HTML 4.01 standard. </dd></dl></dl></section><section><h3 class="jump">fieldset</h3> Specifies a set of fields. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><fieldset></pre></td></tr><tr><td scope="row"><pre>   caption input</pre></td></tr><tr><td scope="row"><pre>   caption input</pre></td></tr><tr><td scope="row"><pre></fieldset></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>fieldset</code> element encloses a set of input fields, and draws a box around them. The fields themselves are made with input elements specified by <code>input</code> and the names of the fields are plaintext specified by <code>caption</code>. </dd></dl></dl></section><section><h3 class="jump">figcaption</h3> Specifies a caption for a <code>figure</code> element. </section><section><h3 class="jump">figure</h3> The content specified by <code>figure</code> may be removed without affecting the page flow. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><figure></pre></td></tr><tr><td scope="row"><pre>   <img src="image.png" alt="Description of image"></pre></td></tr><tr><td scope="row"><pre><figcaption>Figure 1. An HTML element.</figcaption></pre></td></tr><tr><td scope="row"><pre></figure></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> Typically includes an image or video; may include a caption (<code>figcaption</code>). </dd></dl></dl></section><section><h3 class="jump">font</h3> Obsolete. Defines a font style for the content the element encloses. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The content specified by <code>content</code> is altered based on a variety of properties, such as <code>face</code>, <code>size</code>, and

<code>color</code>. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl><dl class="content_text">Availability<dd> The <code>font</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">footer</h3> Specifies content for the section footer. <dl class="termdef"> <dl class="content_text">Availability<dd> The <code>footer</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">form</h3> Specifies an HTML form. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>form</code> element specifies a form on a page. Each individual form (with its variety of inputs such as checkboxes, text fields, and password fields) should be enclosed in its own form element. If using the form for some kind of submission, the form's submit button should also be enclosed within this element. Form elements are described in Supported Attributes. </dd></dl></dl></section><section><h3 class="jump">frame</h3> Obsolete. Displays a URL in an inline frame. Use <code>iframe</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>frame</code> element specifies a directory list, each element of which is specified by an <code>li</code> element. List styles should be more finely tuned using CSS instead of using HTML style elements, and the structure should be defined instead with the <code>ul</code> and <code>ol</code> elements. </dd></dl><dl class="content_text">Availability<dd> The <code>frame</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">frameset</h3> Obsolete. Specifies a frameset. Use <code>iframe</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>frameset</code> element specifies the overall frameset for a number of frames (each specified with the <code>frame</code> element. The URL for the frame is specified by <code>src</code>. The size of each column should be specified by the <code>cols</code> and <code>rows</code> properties. </dd></dl><dl class="content_text">Availability<dd> The <code>frameset</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">h1 - h2 - ... - h6</h3> Specifies various headers. <dl class="termdef"> <dl

class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><h#> content
</h#></pre></td></tr></tbody></table> </dd><
/dl><dl
class="content_text">Discussion<dd> Headin
g elements specify a block of header text, with <code>h1</code> representing
the largest font size and <code>h6</code> representing the smallest. Styles
should be more finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-head" title="head"><h3
class="jump">head</h3> Specifies metainformation about the HTML
document. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><head> content
</head></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>head</code> element can contain a number of informational elements,
such as <code>title</code> for the page title or <code>style</code> for a CSS
definition block. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW29" title="header"><h3
class="jump">header</h3> Specifies . <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><header> content
</header></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> . <
/dd></dl></dl></section><section><a name="//apple_ref/doc/uid/30001262-
SW30" title="hgroup"><h3 class="jump">hgroup</h3> Specifies
. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><hgroup> content
</hgroup></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> . <
/dd></dl></dl></section><section><a name="//apple_ref/doc/uid/30001262-
hr" title="hr"><h3 class="jump">hr</h3> Specifies a horizontal
line. <dl class="termdef"> <dl
class="content_text">Discussion<dd> The
<code>hr</code> element specifies a horizontal line. Styles should be more
finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-html" title="html"><h3
class="jump">html</h3> Specifies the HTML document. <dl
class="termdef"> <dl
class="content_text">Discussion<dd> The
<code>html</code> element specifies an HTML document, and should
encompass all the content of the
page. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-i" title="i"><h3

class="jump">i</h3> Displays text in an italic style. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><i> content
</i></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed in the italic style, but
otherwise matches the style of the enclosing element. Consider using the
<code>em</code>, <code>strong</code>, <code>mark</code>,
<code>cite</code>, and <code>dfn</code> elements before choosing
<code>i</code>. Styles should be more finely tuned using CSS instead of using
HTML style elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-iframe" title="iframe"><h3
class="jump">iframe</h3> Displays a URL in an inline frame. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><iframe
src="URL"></iframe></pre></td></tr></tbody></
table> </dd></dl><dl
class="content_text">Discussion<dd> The
URL specified by <code>src</code> loads into an inline frame placed wherever
the <code>iframe</code> element is
entered. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-imgorimage" title="img"><h3
class="jump">img</h3> Displays an inline image. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><img src="img.jpg" srcset="img_HD.jpg 2x, img_sm.jpg
100w, img_smHD.jpg 100w
2x"></pre></td></tr></tbody></table> </dd></dl>
<dl class="content_text">Discussion<dd> The
image file specified by <code>src</code> or <code>srcset</code> is
displayed inline in the enclosing element. Descriptors in <code>srcset</code>
refer to maximum pixel width (<code>w</code>), height (<code>h</code>),
or density (<code>x</code>). </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-input" title="input"><h3
class="jump">input</h3> Displays an input for an HTML form. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><input
type="type"></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>input</code> element specifies an input mechanism in an HTML form.
The available types of input are listed in <code><a
href="InputTypes.html#//apple_ref/doc/uid/TP40008055-SW1" data-renderer-
version="1"
onclick="s_objectID="https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_6";return

this.s_oc?this.s_oc(e):true">Supported Input Values</code>. </dd></dl></dl></section><section><h3 class="jump">ins</h3> Specifies a block of inserted text. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><ins> content </ins></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>ins</code> element specifies a block of inserted text, which is marked with an underline. </dd></dl></dl></section><section><h3 class="jump">kbd</h3> Specifies text as keyboard text. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><kbd> content </kbd></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>kbd</code> element specifies a block of keyboard text. The text enclosed within the element uses a "teletype" monospaced character font. </dd></dl></dl></section><section><h3 class="jump">keygen</h3> Provides public key generation for forms. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><keygen name="name" challenge="challenge_value"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>keygen</code> element places a form element on the page, which generates a 512, 1024, or 2048-bit public key as its value. The challenge specified by <code>challenge</code> and the public key are DER encoded and digitally signed with a private key (stored in a local database). The result is then encoded in Base64 and is returned as the value of this field. </dd></dl></dl></section><section><h3 class="jump">label</h3> Specifies a label for input controls. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><label for="id"> content </label></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>label</code> element specifies a label for the input control whose name is specified by <code>for</code>. The text specified by <code>content</code> makes up the body of the label. </dd></dl></dl></section><section><h3

class="jump">layer</h3> Specifies individual layers on a webpage. The <code>layer</code> element is not well-supported and should be replaced with <code>iframe</code> frames using CSS styling techniques in HTML 4.01 Transitional documents. In HTML 4.01 Strict documents, <code>layer</code> should be replaced with <code>object</code> or <code>div</code>. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><layer> content </layer></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>layer</code> element specifies an independent layer of content on a webpage. </dd></dl></dl></section><section><h3 class="jump">legend</h3> Specifies the caption for a fieldset. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><legend> content </legend></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>legend</code> element specifies the label for a fieldset (specified by the <code>fieldset</code> element). The caption specified by <code>content</code> is merged with the box surrounding the fieldset. </dd></dl></dl></section><section><h3 class="jump">li</h3> Specifies a list element. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> content </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> Within a list block (specified by <code>ul</code> for an unordered list, or <code>ol</code> for an ordered list), <code>li</code> specifies single list element, whose content is specified by <code>content</code>. List styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">link</h3> Specifies a connection to an external file. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><link href="URL"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>link</code> element specifies an external file that is related to the HTML document it is enclosed in. For example, you should use <code>link</code> in the head of an HTML document to specify an external CSS stylesheet. </dd></dl></dl></section><section><h3

class="jump">listing</h3> Obsolete. Indicates a block of preformatted text. Use <code>pre</code> and <code>code</code> instead. <dl class="termdef"> <dl class="content_text">Availability<dd> The <code>listing</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">main</h3> Specifies the main content of the <code>body</code> element. <dl class="termdef"> <dl class="content_text">Discussion<dd> Only one <code>main</code> element is included in a <code>body</code> element. The main content should not be nested in other block elements. </dd></dl></dl></section><section><h3 class="jump">map</h3> Specifies a browser-processed image map. <dl class="termdef"><dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><map name="id" id="id"></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>map</code> element encloses the <code>area</code> elements that define the regions of an image map. The identifier specified by <code>id</code> and the name specified by <code>name</code> should be used by an <code>img</code> element’s <code>usemap</code> property. </dd></dl></dl></section><section><h3 class="jump">mark</h3> Specifies a highlighted element. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>mark</code> element can be used to highlight search results. </dd></dl></dl></section><section><h3 class="jump">marquee</h3> Obsolete. Specifies a horizontally scrolling block of content. Use JavaScript instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>marquee</code> element specifies a block of content that scrolls horizontally. </dd></dl><dl class="content_text">Availability<dd> The <code>marquee</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">menu</h3> Specifies a menu list. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>menu</code> element specifies a menu list. Within the bounds of this block, terms to be defined should be marked using the <code>dt</code> element, and their definitions should be marked using the <code>dd</code> element. The <code>menu</code> element was deprecated in the HTML 4.01 standard but reintroduced in HTML5. </dd></dl></dl></section><section><h3 class="jump">meta</h3> Specifies metainformation about an HTML

page. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><meta name="title"
content="content"></pre></td></tr></tbody></table></
div></dd></dl><dl
class="content_text">Discussion<dd> The
<code>meta</code> element specifies a list of metainformation about a page,
such as keywords for a search engine to index. The title specified by
<code>name</code> defines what metainformation you are displaying. The
text specified by <code>content</code> is the actual
metainformation. For information on Apple-specific meta tag keys, see
<code><a href="MetaTags.html#//apple_ref/doc/uid/TP40008193-SW1" data-
renderer-version="1"
onclick="s_objectID="https://developer.apple.com/library/archive/
documentation/AppleApplications/Reference/SafariHTMLR_7";return
this.s_oc?this.s_oc(e):true">Supported Meta
Tags</code>. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW19" title="meter"><h3
class="jump">meter</h3> Displays a gray horizontal bar with an area of
color inside, representing a scalar or fractional value. Similar to the
<code>progress</code> element. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><p> Player 1: 16 out of 20 honor <meter min="0"
max="20" low="0" high="20" value="16"> 16 out of 20 </meter>
</p></pre></td></tr><tr><td
scope="row"><pre><p> Player 2: 20% of recruitable heroes <meter
value="0.20"> 20% of recruitable heroes </meter>
</p></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> Use
<code>progress</code> to illustrate task completion. Use
<code>meter</code> to show a value in a range. </dd></dl><dl
class="content_text">Availability<dd> The
<code>meter</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW20" title="nav"><h3
class="jump">nav</h3> Specifies a section with navigation links. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><nav></pre></td></tr><tr><td
scope="row"><pre> </pre></td></tr><tr><td
scope="row"><pre> <a
href="#">Link1
</pre></td></tr><tr><t
d scope="row"><pre> <a
href="#">Link2
</pre></td></tr><tr><t
d scope="row"><pre> <a
href="#">Link3
</pre></td></tr><tr><t
d scope="row"><pre> </pre></td></tr><tr><td
scope="row"><pre></nav</pre></td></tr></tbody></tabl
e> </dd></dl><dl
class="content_text">Discussion<dd> You can

create multiple <code>nav</code> elements in one document. The <code>nav</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">nobr</h3> Obsolete. Specifies a region of content with no embedded line breaks. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The content displays with no line breaks. Use the <code>nobr</code> element for text blocks that must remain on one line. </dd></dl><dl class="content_text">Availability<dd> The <code>nobr</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">noembed</h3> Obsolete. Specifies content to display when embedded objects are not supported. Use <code>object</code> if necessary. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>noembed</code> element specifies a block of content that displays in browsers that do not support embedded objects. </dd></dl><dl class="content_text">Availability<dd> The <code>noembed</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl> </section><section><h3 class="jump">noframes</h3> Obsolete. Specifies content that displays in browsers that do not support frames. There is no replacement element. <dl class="termdef"> <dl class="content_text">Discussion<dd> The <code>noframes</code> element specifies a block of content that displays in browsers that do not support frames or have them deactivated. Because frames are no longer supported the <code>noframe</code> element is not needed. </dd></dl><dl class="content_text">Availability<dd> The <code>noframes</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">nolayer</h3> Specifies content that displays in browsers that do not support layers. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><nolayer> content </nolayer></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>nolayer</code> element specifies a block of content that displays in browsers that do not support layers. </dd></dl></dl></section><section><h3 class="jump">noscript</h3> Specifies content to display in browsers that do not run scripts. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><noscript> content </noscript></pre></td></tr></tbody></table> </dd></dl><dl

class="content_text">Discussion<dd> The
<code>noscript</code> element specifies a block of content that displays in
browsers that do not support the execution of scripts or have them
deactivated. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-object" title="object"><h3
class="jump">object</h3> Embeds an object within a page. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><object height="value" width="value" archive="URL"
data="URL"> content
</object></pre></td></tr><tr><td
scope="row"><pre><object height="value" width="value" data="URL"
codebase="URL"> content
</object></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
object is displayed at the location of the element in the page, with a height
specified by <code>height</code> and a width specified by
<code>width</code>. The location of the object is given by the URL
specified by <code>archive</code> for a Java archive, <code>data</code> for
some arbitrary embedded data (an image, for example), or
<code>codebase</code> for object code of any other
type. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-ol" title="ol"><h3
class="jump">ol</h3> Specifies an ordered list. <dl class="termdef">
<dl class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre> content
</pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> The
<code>ol</code> element specifies an ordered, numbered list. Within the
bounds of this block, list items should be defined using the <code>li</code>
element. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-optgroup" title="optgroup"><h3
class="jump">optgroup</h3> Specifies a group of options. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><optgroup label="label"> options
</optgroup></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> Within
a <code>select</code> input type, the <code>optgroup</code> element
specifies a subgroup of options. Within the bounds of this block, individual
options are specified using the <code>option</code> element. The title of the
subgroup is specified by <code>label</code>, and in Safari is displayed as bold
gray text, with the subgroup’s associated options indented under
it. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-option" title="option"><h3
class="jump">option</h3> Specifies a list option. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div

class="codesample clear"><table><tbody><tr><td
scope="row"><pre><option value="value"> title
</option></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> Within
a <code>select</code> input type, the <code>option</code> element
specifies a single selectable option. The form value of the option is specified by
<code>value</code>, and its visible name is specified by <code>title</code>.
These elements can be placed directly within a <code>select</code> input type
or within an <code>optgroup</code> within a <code>select</code>
element. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW21" title="output"><h3
class="jump">output</h3> Specifies the result of a calculation. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><output name="result"> content
</output></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> Use a
script to add the result to the text specified by
<code>content</code>. </dd></dl><dl
class="content_text">Availability<dd> The
<code>output</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-p" title="p"><h3
class="jump">p</h3> Displays a paragraph. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><p> content
</p></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> The
<code>p</code> element indicates a paragraph in the document.
</dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-param" title="param"><h3
class="jump">param</h3> Represents a parameter for an
<code>object</code> declaration. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><param name="name"
value="value"></pre></td></tr></tbody></table>
</dd></dl><dl
class="content_text">Discussion<dd> The
<code>param</code> element represents a specific parameter for an
embedded <code>object</code> element. You can place any number of these,
but they must be enclosed within the <code>object</code> block. The
parameter’s name/key is specified by <code>name</code> and its value is
specified by
<code>value</code>. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-plaintext" title="plaintext"><h3
class="jump">plaintext</h3> Obsolete. Represents a MIME type. Use
<code>"text/plain"</code> instead. <dl class="termdef"> <dl
class="content_text">Discussion<dd> MIME

types indicate the type of media to be displayed. </dd></dl><dl class="content_text">Availability<dd> The <code>plaintext</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">pre</h3> Represents a block of preformatted text. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><pre> content </pre></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>pre</code> element preserves the formatting of the block of text specified by <code>content</code>, specifically line breaks and multiple spaces. Normal text operation in Safari displays no difference between a single space and multiple consecutive spaces. In Safari, text enclosed in this element is also rendered in a monospace "teletype" font. </dd></dl></dl></section><section><h3 class="jump">progress</h3> Displays a representation of task completion. Similar to the <code>meter</code> element. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><progress value="100" max="450"> 45% </progress></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> Use <code>progress</code> to illustrate task completion. Use <code>meter</code> to show a value in a range. </dd></dl><dl class="content_text">Availability<dd> The <code>progress</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">q</h3> Displays an inline quotation. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><q> content </q></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The text specified by <code>content</code> is displayed in quotes, but otherwise matches the style of the enclosing element. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">rp</h3> Specifies parenthesis to display if the <code>ruby</code> element is not supported. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><ruby></pre></td></tr><tr><td scope="row"><pre> <rp> (</rp> <rt> Kan </rt> <rp>) </rp></pre></td></tr><tr><td

scope="row"><pre></ruby></pre></td></tr></tbody><
/table> </dd></dl><dl
class="content_text">Discussion<dd> </
dd></dl><dl
class="content_text">Availability<dd> The
<code>rp</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW24" title="ruby"><h3
class="jump">ruby</h3> Specifies a ruby annotation showing pronunciation
of East Asian characters. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><ruby></pre></td></tr><tr><td
scope="row"><pre> <rp> (</rp> <rt> Kan </rt>
<rp>) </rp></pre></td></tr><tr><td
scope="row"><pre></ruby></pre></td></tr></tbody><
/table> </dd></dl><dl
class="content_text">Availability<dd> Th
<code>ruby</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW25" title="rt"><h3
class="jump">rt</h3> Specifies the pronunciation of East Asian
characters. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><ruby></pre></td></tr><tr><td
scope="row"><pre> <rp> (</rp> <rt> Kan </rt>
<rp>) </rp></pre></td></tr><tr><td
scope="row"><pre></ruby></pre></td></tr></tbody><
/table> </dd></dl><dl
class="content_text">Availability<dd> The
<code>rt</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-s" title="s"><h3
class="jump">s</h3> Deprecated. Defines a block of text in strikethrough
style. Use <code>del</code> to indicate document edits. <dl
class="termdef"> <dl
class="content_text">Discussion<dd> The
content inside the <code>s</code> element is rendered with a horizontal line
through the center. The <code>del</code> element is more appropriate to
show text that was removed. Styles should be more finely tuned using CSS
instead of using HTML style elements when possible. </dd></dl><dl
class="content_text">Availability<dd> The
<code>s</code> element has been deprecated in the HTML 4.01
standard. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-samp" title="samp"><h3
class="jump">samp</h3> Specifies text as sample code. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><samp> content
</samp></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The

<code>samp</code> element specifies a block of code. The text enclosed within the element uses a "teletype" monospaced character font. </dd></dl></dl></section><section><h3 class="jump">script</h3> Embeds and executes script code. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><script type="mimetype"> code </script></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>script</code> element specifies a block of script code, such as JavaScript. The code specified by <code>code</code> is invisible onscreen, but is visible in the page source. Code embedded within <code>script</code> elements (unless defined inside functions) is executed immediately on page load. The MIME type of the script should be specified by <code>type</code>. </dd></dl></dl></section><section><h3 class="jump">section</h3> Specifies a generic section of a document when <code>article</code> is not appropriate. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><section></pre></td></tr><tr><td scope="row"><pre> <h1> Heading </h1></pre></td></tr><tr><td scope="row"><pre> <p> content </p></pre></td></tr><tr><td scope="row"><pre></section></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The content in a <code>section</code> should be related. If content is unrelated use a <code>div</code> element for grouping. </dd></dl><dl class="content_text">Availability<dd> The <code>section</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">select</h3> Specifies a selection input type. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><select> options </select></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>select</code> element specifies a selection menu. This block must contain a set of <code>option</code> elements or <code>optgroup</code> elements containing options. In Safari, if the <code>size</code> property is explicitly set for this element, the input box resembles a Mac OS X combo box, otherwise it resembles a pop-up menu. </dd></dl></dl></section><section><h3 class="jump">small</h3> Displays text in a small size. <dl class="termdef"> <dl class="content_text">Syntax<dd><div

class="codesample clear"><table><tbody><tr><td
scope="row"><pre><small> content
</small></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed in a smaller size, but
otherwise matches the style of the enclosing element. Styles should be more
finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW5" title="source"><h3
class="jump">source</h3> Provides a resource URI for a multimedia
element such as <code>audio</code> or <code>video</code>. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><video poster="bananas.png" ...
></pre></td></tr><tr><td scope="row"><pre>
<source</pre></td></tr><tr><td scope="row"><pre>
src="bananas.mp4"</pre></td></tr><tr><td
scope="row"><pre> type="video/mp4; codecs="avc1.42E01E,
mp4a.40.2""</pre></td></tr><tr><td
scope="row"><pre>
media="screen"</pre></td></tr><tr><td
scope="row"><pre> pixelration="1.78" <!-- 16:9
--></pre></td></tr><tr><td scope="row"><pre>
></pre></td></tr><tr><td scope="row"><pre>
</source></pre></td></tr><tr><td scope="row"><pre>
<source ...></source></pre></td></tr><tr><td
scope="row"><pre> <source
...></source></pre></td></tr><tr><td
scope="row"><pre> </pre></td></tr><tr><td
scope="row"><pre> <!-- Fallback content for browsers that do not support
the video element goes here. --></pre></td></tr><tr><td
scope="row"><pre> </pre></td></tr><tr><td
scope="row"><pre></video></pre></td></tr></tbody>
</table> </dd></dl><dl
class="content_text">Discussion<dd> Specify
type and codec information appropriately. Browsers use this information to
choose the media that is most appropriate according to available codecs, and
screen resolution. </dd></dl><dl
class="content_text">Availability<dd> Availab
le in Safari 3.1 and later. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-span" title="span"><h3
class="jump">span</h3> Specifies an inline styleless section in a
document. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre> content
</pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>span</code> element specifies a section in a document. Multiple
consecutive spans are placed horizontally on the page by default. Use CSS styles
to tune the style properties of this

element. </dd></dl></dl></section><section><h3 class="jump">strike</h3> Obsolete. Defines a block of text in strikethrough style. Use the <code>del</code> instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The content specified by <code>content</code> is rendered with a horizontal line through the center. The <code>del</code> element is more appropriate for this function. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl><dl class="content_text">Availability<dd> The <code>strike</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">strong</h3> Specifies important text. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> content </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>strong</code> element specifies a block of text with "strong" importance. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">style</h3> Defines an inline stylesheet. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><style type="mimetype"> css_declarations </style></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>style</code> element specifies a CSS stylesheet within the page. All CSS declarations should be placed within this block. This element should be placed in the <code>head</code> section of a page. If you are linking to an external stylesheet, use the <code>link</code> element instead. </dd></dl></dl></section><section><h3 class="jump">sub</h3> Specifies text as subscript. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre>_{content}</pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The text specified by <code>content</code> is displayed in a smaller size and is subscripted, but otherwise matches the style of the enclosing element. Styles should be more finely tuned using CSS instead of using HTML style elements. </dd></dl></dl></section><section><h3 class="jump">summary</h3> Specifies a summary for a <code>details</code> element. <dl class="termdef"> <dl

class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><details></pre></td></tr><tr><td
scope="row"><pre> <summary> Summary info
</summary></pre></td></tr><tr><td
scope="row"><pre> <p> Detailed information
</p></pre></td></tr><tr><td
scope="row"><pre></details></pre></td></tr></tbody
></table> </dd></dl><dl
class="content_text">Discussion<dd> When a
<code>details</code> element <code>summary</code> is absent the heading
"details" is used by default. </dd></dl><dl
class="content_text">Availability<dd> The
<code>summary</code> element was introduced in the HTML5
specification. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-sup" title="sup"><h3
class="jump">sup</h3> Specifies text as superscript. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><sup> content
</sup></pre></td></tr></tbody></table> </dd>
</dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed in a smaller size and is
superscripted, but otherwise matches the style of the enclosing element. Styles
should be more finely tuned using CSS instead of using HTML style
elements. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-table" title="table"><h3
class="jump">table</h3> Defines a data table. <dl class="termdef">
  <dl class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><table> content
</table></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>table</code> element defines a table structure for a page. The HTML
specified by <code>content</code> should contain the other structural
elements such as table rows (<code>tr</code>) and table cells
(<code>td</code>). </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-tbody" title="tbody"><h3
class="jump">tbody</h3> Defines a table’s body. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><tbody> content
</tbody></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>tbody</code> element defines the body for a table. This element is only
a structural definition and by default does not render anything unique, so the
HTML specified by <code>content</code> should contain the other structural
elements such as table rows (<code>tr</code>) and table cells
(<code>td</code>). </dd></dl></dl></section><section><a

name="//apple_ref/doc/uid/30001262-SW3" title="td"><h3 class="jump">td</h3> Defines a table cell. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><td> content </td></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>td</code> element defines a cell within a table. Cells are usually enclosed by table row (<code>tr</code>) definitions. Consecutive table cells are placed horizontally onscreen. </dd></dl></dl></section><section><h3 class="jump">textarea</h3> Specifies a text area input type. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><textarea rows="value" cols="value"> content </textarea></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>textarea</code> element specifies a scrollable, multiline text input block. You can specify its size onscreen by specifying values for <code>rows</code> and <code>cols</code>. Safari on iOS extends the <code>textarea</code> element with two additional properties, <code>autocorrect</code> and <code>autocapitalize</code>, described in <code>Supported HTML</code>. </dd></dl></dl></section><section><h3 class="jump">tfoot</h3> Defines a table’s footer. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><tfoot> content </tfoot></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>tfoot</code> element defines a footer for a table. This element is only a structural definition and by default does not render anything unique, so the HTML specified by <code>content</code> should contain the other structural elements such as table rows (<code>tr</code>) and table cells (<code>td</code>). The <code>meter</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">th</h3> Defines header text for a table column. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><th> content </th></pre></td></tr></tbody></table> </dd></

dl><dl
class="content_text">Discussion<dd> Table
headers should be placed in their own table row, usually the first row in a table
definition, and should correspond in number to table cell definitions in later rows.
In Safari, the text specified by <code>content</code> is displayed in a bold
face. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-thead" title="thead"><h3
class="jump">thead</h3> Defines a table’s header. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><thead> content
</thead></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
<code>thead</code> element defines a header for a table. This element is only
a structural definition and by default does not render anything unique, so the
HTML specified by <code>content</code> should contain the other structural
elements such as table rows (<code>tr</code>) and table cells
(<code>td</code>). </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-title" title="title"><h3
class="jump">title</h3> Defines the visible window title for the
page. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><title> content
</title></pre></td></tr></tbody></table> </
dd></dl><dl
class="content_text">Discussion<dd> The
text specified by <code>content</code> is displayed at the top of a browser
window, but remains invisible in embedded WebKit web views unless requested
programatically. The <code>title</code> element must be placed in the
<code>head</code> section of a
page. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-tr" title="tr"><h3
class="jump">tr</h3> Defines a table row. <dl class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><tr> content
</tr></pre></td></tr></tbody></table> </dd></
dl><dl
class="content_text">Discussion<dd> The
<code>tr</code> element defines a row within a table. Table cells are usually
enclosed by these rows. Consecutive table rows are placed vertically
onscreen. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-SW28" title="track"><h3
class="jump">track</h3> Specifies a text component of the parent
<code>audio</code> or <code>video</code> element. <dl
class="termdef"> <dl
class="content_text">Syntax<dd><div
class="codesample clear"><table><tbody><tr><td
scope="row"><pre><video
src="mysource.mp4"></pre></td></tr><tr><td
scope="row"><pre> <track kind="captions"

src="myCaptions.srt"></pre></td></tr><tr><td scope="row"><pre> <track kind="description" src="myDescription.srt"></pre></td></tr><tr><td scope="row"><pre></video></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The track element can indicate <code>subtitles</code>, <code>captions</code>, <code>description</code>, <code>chapters</code> or <code>metadata</code> through the <code>kind</code> attribute. See Safari HTML5 Audio and Video Guide for more information. </dd></dl><dl class="content_text">Availability<dd> The <code>track</code> element was introduced in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">tt</h3> Obsolete. Displays text in a "teletype" style. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The text is displayed in a monospaced "teletype" style, but otherwise matches the style of the enclosing element. Styles should be more finely tuned using CSS instead of using HTML style elements. Semantic HTML alternatives to <code>tt</code> include: <code>kdb</code> for keyboard input, <code>var</code> for variables, <code>code</code> for computer code, and <code>samp</code> for computer output. </dd></dl><dl class="content_text">Availability<dd> The <code>tt</code> element has been declared obsolete in the HTML5 specification. </dd></dl></dl></section><section><h3 class="jump">u</h3> Deprecated. Defines a block of underlined text. Use CSS styling instead. <dl class="termdef"> <dl class="content_text">Discussion<dd> The content is underlined. The <code>ins</code> element is more appropriate for this function. Styles should be more finely tuned using CSS instead of using HTML style elements. Additionally, underlined text should not be used as it might be confused with actual hyperlinks. </dd></dl><dl class="content_text">Availability<dd> The <code>u</code> element has been deprecated in the HTML 4.01 standard. </dd></dl></dl></section><section><h3 class="jump">ul</h3> Specifies an unordered list. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre> content </pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>ul</code> element specifies an unordered, bulleted list. Within the

bounds of this block, list items should be defined using the <code>li</code> element. </dd></dl></dl></section><section><h3 class="jump">var</h3> Specifies a variable. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><var> content </var></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>var</code> element specifies a variable. The text enclosed within the element is italicized. </dd></dl></dl></section><section><h3 class="jump">video</h3> Embeds video into a webpage. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><video src="url"</pre></td></tr><tr><td scope="row"><pre> poster="freezeframe.png"</pre></td></tr><tr><td scope="row"><pre>   autoplay="autoplay" <!-- Boolean attribute. Omit to prevent autoplay. --></pre></td></tr><tr><td scope="row"><pre> start="00:00:00.00"</pre></td></tr><tr><td scope="row"><pre>   loopstart="00:00:00.07" <!-- 7 seconds --></pre></td></tr><tr><td scope="row"><pre> loopend="00:00:00.19"</pre></td></tr><tr><td scope="row"><pre> end="00:00:00.27"</pre></td></tr><tr><td scope="row"><pre>   playcount="4" <!-- play 4x --></pre></td></tr><tr><td scope="row"><pre> controls="true"</pre></td></tr><tr><td scope="row"><pre>   width="640"</pre></td></tr><tr><td scope="row"><pre> height="480"</pre></td></tr><tr><td scope="row"><pre>></pre></td></tr></tbody></table> </dd></dl><dl class="content_text">Discussion<dd> The <code>video</code> element might contain fallback content for browsers that do not support this element. Any content enclosed within the <code>video</code> element is ignored by browsers that support the <code>video</code> element (but it must be valid HTML). The <code>video</code> element supports inclusion of <code>source</code> elements to provide multiple versions of a video clip encoded with different codecs, at different bit rates, and so on. These <code>source</code> elements must be the first elements inside the <code>video</code> element before any fallback content. See <code>source</code> for more information. </dd></dl></dl></section><section><h3 class="jump">wbr</h3> Specifies a block in which line breaks are permitted. <dl class="termdef"> <dl class="content_text">Syntax<dd> <table><tbody><tr><td scope="row"><pre><wbr> content

</wbr></pre></td></tr></tbody></table> </dd>
</dl><dl
class="content_text">Discussion<dd> Within
a <code>nobr</code> block (in which line breaks are enabled), any content
specified by <code>content</code> is permitted to use line breaks. The line
breaks themselves must still be requested using the <code>br</code>
element. </dd></dl></dl></section><section><a
name="//apple_ref/doc/uid/30001262-xmp" title="xmp"><h3
class="jump">xmp</h3> Obsolete. Represents a block of literal text. Use
<code>pre</code> and <code>code</code> instead. <dl
class="termdef"> <dl
class="content_text">Discussion<dd> The
<code>xmp</code> element preserves the formatting of the block of text,
specifically line breaks, multiple spaces, and the greater-than and less-than
symbols that accompany HTML elements. This block is also prefaced with a
<code>newline</code> element. In Safari, text enclosed in this element is also
rendered in a monospace "teletype" font. </dd></dl><dl
class="content_text">Availability<dd> The
<code>xmp</code> element has been declared obsolete in the HTML5
specification. </dd></dl></dl></section></section>

<hr> <p
class="content_text" lang="en" dir="ltr"> Copyright © 2014 Apple Inc. All
Rights Reserved. <a
href="http://www.apple.com/legal/internet-services/terms/site.html"
target="_blank"
onclick="s_objectID="http://www.apple.com/legal/internet-services/terms/
site.html_1";return this.s_oc?this.s_oc(e):true">Terms of Use | <a
href="http://www.apple.com/privacy/" target="_blank"
onclick="s_objectID="http://www.apple.com/privacy/_1";return
this.s_oc?this.s_oc(e):true">Privacy Policy | Updated:
2014-07-15

</article>

<div id="closebox" tabindex="0" aria-label="Close feedback form"
role="button">

```
<div id="sending" class="hidden">
   <h2 tabindex="0">Sending feedback...</h2>
   <div id="sending_img"></div>
</div>
<div id="error" class="hidden">
   <h2 tabindex="0">We're sorry, an error has occurred.</h2>
   <p>Please try submitting your feedback later.</p>
   <div id="error_icon"></div>
</div>
<div id="success" class="hidden">
   <h2 tabindex="0">Thank you for providing feedback!</h2>
   <p>Your input helps improve our developer documentation.</p>
   <div id="thank_you_icon"></div>
</div>

<form id="feedback" action="#" method="post">
   <div class="left-leaf">
      <h2 id="helpful_title" data-asterisk="a1" tabindex="0">How helpful is
this document?</h2>
      <sup id="a1" class="asterisk" aria-hidden="true">*</sup>

      <div id="star_group" role="radiogroup" aria-required="true">
         <label>
            <input class="radio" type="radio" name="helped" value="1">
            Very helpful
         </label>
         <label>
            <input class="radio" type="radio" name="helped" value="2">
            Somewhat helpful
         </label>
         <label>
            <input class="radio" type="radio" name="helped" value="3">
            Not helpful
         </label>
      </div>
   </div>
   <div class="right-leaf">
      <h2>How can we improve this document?</h2>
      <div id="improve" class="checkboxes">
         <label>
            <input type="checkbox" name="typo">
            Fix typos or links
         </label>
         <label>
            <input type="checkbox" name="infoIncorrect">
            Fix incorrect information
         </label>
         <label>
            <input type="checkbox" name="needs_examples">
            Add or update code samples
         </label>
         <label>
            <input type="checkbox" name="needs_art">
            Add or update illustrations
```

```
            </label>
            <label>
                <input type="checkbox" name="missingInfo">
                Add information about...
            </label>
        </div>
    </div>

    <textarea id="comment" name="problem" cols="70" rows="8"
placeholder="Please tell us more about your experience with this document"
data-asterisk="a2" required=""></textarea>
    <sup id="a2" class="asterisk" aria-hidden="true">*</sup>

    <p class="fineprint">
        <em aria-hidden="true"><span>*</span> Required information</em>
    </p>

    <input id="submit" type="button" value="Send">

    <section id="legal">
        <p>
            To submit a product bug or enhancement request, please visit the
            <a href="https://developer.apple.com/bugreporter/" target="_blank"
onclick="s_objectID=&quot;https://developer.apple.com/bugreporter/
_1&quot;;return this.s_oc?this.s_oc(e):true">Bug Reporter</a>
            page.
        </p>
        <p>
            Please read <a href="http://www.apple.com/legal/policies/ideas.html"
target="_blank"
onclick="s_objectID=&quot;http://www.apple.com/legal/policies/ideas.html_1&qu
ot;;return this.s_oc?this.s_oc(e):true">Apple's Unsolicited Idea Submission
Policy</a>
            before you send us your feedback.
        </p>
    </section>
  </form>
</div>


  <script charset="utf-8"
src="../../../../../Resources/1282/JavaScript/lib/prototype.js"></script>
  <script src="../../../../../Resources/1282/JavaScript/library.js"></script>


</body></html>
```